



# SAFETY DATA SHEET

## STEAMATE NA0840

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name or designation of the mixture STEAMATE NA0840

Version number 9.3

Revision date 14/12/2021

Supersedes date 22/02/2020

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Blend of neutralising amines

Uses advised against None known.

#### 1.3. Details of the supplier of the safety data sheet

JV Process and Water Chemicals LLC

Address: Street V. Kadirov 10, city Chirchik,

Region Tashkent Republic of Uzbekistan, 111702

Tel: +99871 209 10 40

Email address: info@pwch.uz

www.pwch.uz

#### 1.4. Emergency telephone number

Multilingual emergency number (24/7)

Street V. Kadirov 10, city Chirchik,  
Region Tashkent Republic of Uzbekistan, 111702  
Tel: +99871 209 10 40

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

##### Health hazards

Skin corrosion/irritation	Category 1B	H314 - Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Category 1	H318 - Causes serious eye damage.
Skin sensitisation	Category 1B	H317 - May cause an allergic skin reaction.
Specific target organ toxicity - single exposure	Category 3 respiratory tract irritation	H335 - May cause respiratory irritation.

#### 2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 3-Aminopropyldimethylamine (DMAPA), Ethanolamine



# SAFETY DATA SHEET

## STEAMATE NA0840

### Hazard pictograms



**Signal word**

Danger

### Hazard statements

H314 Causes severe skin burns and eye damage.  
 H317 May cause an allergic skin reaction.  
 H335 May cause respiratory irritation.

### Precautionary statements

#### Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTRE/doctor.

#### Storage

Not available.

#### Disposal

Not available.

### Supplemental label information

None.

### 2.3. Other hazards

None known.

## SECTION 3: Composition/information on ingredients

### Mixtures

#### Chemical description

Aqueous solution of amines

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Ethanolamine	10 - < 20	141-43-5 205-483-3	01-2119486455-28	603-030-00-8	#
<b>Classification:</b>	Acute Tox. 4;H302, Acute Tox. 4;H312, Skin Corr. 1B;H314, Acute Tox. 4;H332, STOT SE 3;H335, Aquatic Chronic 3;H412				
3-Aminopropyltrimethylamine (DMAPA)	5 - < 10	109-55-7 203-680-9	01-2119486842-27	612-061-00-6	
<b>Classification:</b>	Flam. Liq. 3;H226, Acute Tox. 4;H302, Acute Tox. 4;H312, Skin Corr. 1B;H314, Skin Sens. 1B;H317, STOT SE 3;H335				

The classification of the above substance(s) is given, including the hazard class, category code and hazard statements which are assigned in accordance with their physicochemical, health and environmental hazards. Please refer to section 16 where the full text of each relevant H-statement is listed.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately.

**Skin contact** Take off immediately all contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately.

**Eye contact** Rinse immediately with plenty of water for at least 15 minutes. Get medical attention immediately.



# SAFETY DATA SHEET

## STEAMATE NA0840

**Ingestion**  
 Rinse mouth.  
 Do not give anything to eat or drink.  
 Do not induce vomiting.  
 Call a physician or poison control centre immediately.

**4.2. Most important symptoms and effects, both acute and delayed**  
 Corrosive effects.  
 Upper respiratory tract irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**  
 Not available.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** Dry chemical, CO<sub>2</sub>, water spray or regular foam.

**Unsuitable extinguishing media** None.

**5.2. Special hazards arising from the substance or mixture** Oxides of carbon and nitrogen evolved in fire.

#### 5.3. Advice for firefighters

**Special protective equipment for firefighters**  
 Self contained breathing apparatus. (CEN : EN 137)  
 Protective clothing (CEN : EN 469)  
 Protective gloves (CEN : EN 659)  
 Helmet (CEN : EN 443)

**Special fire fighting procedures** Use standard firefighting procedures and consider the hazards of other involved materials.  
 Prevent spillage and fire-fighting water from entering in public sewers or the immediate environment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Wear protective clothing, gloves and safety goggles.

**For emergency responders** Use personal protection recommended in Section 8 of the SDS.

**6.2. Environmental precautions** Prevent from entering sewers or the immediate environment.  
 Accidental release of large quantities into the aquatic environment may harm aquatic organisms.

**6.3. Methods and material for containment and cleaning up** Absorb onto inert material and dispose of according to Hazardous Waste Regulations.  
 Remove small spills with plenty of water.

**6.4. Reference to other sections** Please refer also to section no. 8 'Exposure controls' for further information.

### SECTION 7: Handling and storage

**7.1. Precautions for safe handling** Avoid contact with skin and eyes.  
 Arrange for eye wash possibility.

**7.2. Conditions for safe storage, including any incompatibilities** Store in a cool, well-ventilated area.  
 Store away from oxidisers.  
 Store containers closed when not in use.

**7.3. Specific end use(s)** Only for professional and industrial users

**Shelf life** 720 days

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### Belgium. Exposure Limit Values.

Components	Type	Value
Ethanolamine (CAS 141-43-5)	STEL	7,6 mg/m <sup>3</sup>
		3 ppm



# SAFETY DATA SHEET

## STEAMATE NA0840

### Belgium. Exposure Limit Values.

Components	Type	Value
	TWA	2,5 mg/m <sup>3</sup> 1 ppm

### EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU

Components	Type	Value
Ethanolamine (CAS 141-43-5)	STEL	7,6 mg/m <sup>3</sup>
		3 ppm
	TWA	2,5 mg/m <sup>3</sup> 1 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Not available.

### Derived no effect levels (DNELs)

#### Workers

Components	Value	Assessment factor	Notes
3-Aminopropylidimethylamine (DMAPA) (CAS 109-55-7)			
Long-term, Local, Inhalation	1,2 mg/m <sup>3</sup>	18	
Long-term, Systemic, Inhalation	1,2 mg/m <sup>3</sup>	18	
Ethanolamine (CAS 141-43-5)			
Long-term, Local, Inhalation	3,3 mg/m <sup>3</sup>	3	
Long-term, Systemic, Dermal	1 mg/kg	120	

### Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor	Notes
3-Aminopropylidimethylamine (DMAPA) (CAS 109-55-7)			
Freshwater	72,8 µg/l		
Intermittent releases	340 µg/l		
Marine water	7,28 µg/l		
Sediment (freshwater)	735 µg/kg		
Sediment (marine water)	73,5 µg/kg		
Soil	104 µg/kg		
STP	69,5 mg/l		
Ethanolamine (CAS 141-43-5)			
Freshwater	0,085 mg/l	10	
Intermittent releases	0,025 mg/l	100	
Marine water	0,0085 mg/l	100	
Sediment (freshwater)	0,425 mg/kg		
Sediment (marine water)	0,0425 mg/kg		
Soil	0,035 mg/kg		
STP	100 mg/l	10	

### Exposure guidelines

#### Belgium OELs: Skin designation

Ethanolamine (CAS 141-43-5) Can be absorbed through the skin.

### 8.2. Exposure controls

**Appropriate engineering controls** Adequate ventilation to maintain air contaminants below exposure limits.  
 Eye wash facilities and emergency shower must be available when handling this product.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Splash proof chemical goggles.  
 Face shield.  
 CEN : EN 166

#### Skin protection



# SAFETY DATA SHEET

## STEAMATE NA0840

- Hand protection	Gauntlet type neoprene gloves (Protection against unintentional short-term contact) Gauntlet type nitrile gloves (Protection against unintentional short-term contact) Gauntlet type rubber gloves (Protection against unintentional short-term contact) Penetration time: > 480 min Coating thickness: 0.5 mm CEN : EN 374-1/2/3/4; EN 420
- Other	Chemical resistant apron. CEN : EN ISO 13688; EN ISO 6530; EN ISO 6529; EN 14605
Respiratory protection	In case of insufficient ventilation, use a breathing mask with filter type: A2-P2 CEN : EN 140; EN 14387
Thermal hazards	Not available.
Environmental exposure controls	Prevent from entering in public sewers or the immediate environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

##### Appearance

Colour	Colourless to yellow
Physical state	Liquid

Odour Amine

Odour threshold Not available.

pH (concentrated product) 12,8

pH in aqueous solution 11,7 (5% SOL.)

Melting point/freezing point -28 °C

Initial boiling point and boiling range Not available.

Flash point > 100 °C P-M(CC)

Evaporation rate < 1 (Ether = 1)

Flammability (solid, gas) Not applicable.

##### Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Vapour pressure 18 mm Hg

Vapour pressure temp. 21 °C

Vapour density > 1 (Air = 1)

Relative density 1

Relative density temperature 21 °C

##### Solubility

Solubility (water) 100 %

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not applicable.

Decomposition temperature Not available.

Viscosity 8 cps

Viscosity temperature 21 °C

Explosive properties Not available.

Oxidising properties Not available.

#### 9.2. Other information

Pour point -25 °C



# SAFETY DATA SHEET

## STEAMATE NA0840

Shelf life	720 days
VOC	28 % (Estimated)

### SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	Not applicable.
10.4. Conditions to avoid	No special requirement.
10.5. Incompatible materials	Avoid contact with strong acids and oxidisers.
10.6. Hazardous decomposition products	Oxides of carbon and nitrogen evolved in fire.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Product	Test Results
STEAMATE NA0840 (Mixture)	Acute Dermal LD50 Rabbit: 3778 mg/kg (Calculated according to GHS additivity formula) Acute Inhalation LC50 Rat: > 20 mg/l 4 Hours (Calculated according to GHS additivity formula) Acute Oral LD50 Rat: 2983 mg/kg (Calculated according to GHS additivity formula)

Components	Test Results
3-Aminopropyldimethylamine (DMAPA) (109-55-7)	Acute Inhalation LC50 Rat: > 4,3 mg/l 4 hour Acute Oral LD50 Rat: 410 mg/kg
Ethanolamine (141-43-5)	Acute Dermal LD50 Rabbit: 1025 mg/kg Acute Inhalation LC50 Rat: > 1,5 mg/l 4 hour Acute Oral LD50 Rat: 1720 mg/kg

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Causes severe skin burns and eye damage.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Respiratory tract irritation.
Carcinogenicity	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

Ingestion	Causes digestive tract burns.
Inhalation	May cause irritation to the respiratory system. May cause coughing, breathing difficulties, or shortness of breath.
Skin contact	Causes severe skin burns. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.

Symptoms	Not available.
Aspiration hazard	Based on available data, the classification criteria are not met.



# SAFETY DATA SHEET

## STEAMATE NA0840

**Mixture versus substance information** None known.

**Other information** Not available.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Product	Species	Test Results	
STEAMATE NA0840 (CAS Mixture)			
<b>Aquatic</b>			
Crustacea	LC50	Daphnia magna	520 mg/l, Static Renewal Bioassay, 48 hour, (pH adjusted)
	NOEL	Daphnia magna	125 mg/l, Static Renewal Bioassay, 48 hour, (pH adjusted)
Fish	0% Mortality	Rainbow trout	2000 mg/l, Static Bioassay with 48-Hour Renewal, 96 hour, (pH adjusted)
	LC50	Fathead minnow	950 mg/l, Acute toxicity, 96 hour, (Estimated)
	NOEL	Fathead minnow	590 mg/l, Acute toxicity, 96 hour, (Estimated)

#### 12.2. Persistence and degradability

- COD (mgO<sub>2</sub>/g) 358 (calculated data)
- BOD 5 (mgO<sub>2</sub>/g) 117 (calculated data)
- BOD 28 (mgO<sub>2</sub>/g) 117 (calculated data)
- Closed Bottle Test (% Degradation in 28 days) 29 (calculated data)
- Zahn-Wellens Test (% Degradation in 28 days) 64 (calculated data)
- TOC (mg C/g) 124 (calculated data)

**12.3. Bioaccumulative potential** Not available.

#### Partition coefficient n-octanol/water (log K<sub>ow</sub>)

Ethanolamine -1,31

#### Bioconcentration factor (BCF)

Ethanolamine 3

**12.4. Mobility in soil** Not available.

**12.5. Results of PBT and vPvB assessment** Not a PBT or vPvB substance or mixture.

**12.6. Other adverse effects** Not available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Contaminated packaging** According to Hazardous Waste Regulations.

EWC ( European Waste Code ) recommendation : 15 01 10  
 15 Waste packaging; absorbents, wiping cloths, filter materials and protective clothing not otherwise specified.  
 15 01 Packaging (including separately collected municipal packaging waste).  
 15 01 10 Packaging containing residues of or contaminated by dangerous substances.  
 Depending on the origin and state of the waste, other EWC numbers may be applicable too.



# SAFETY DATA SHEET

## STEAMATE NA0840

**Disposal methods/information** According to Hazardous Waste Regulations.

EWC ( European Waste Code ) recommendation : 16 03 05  
16 Wastes not otherwise specified in the list.  
16 03 Off-specification batches and unused products.  
16 03 05 Organic wastes containing dangerous substances.  
Depending on the origin and state of the waste, other EWC numbers may be applicable too.

### SECTION 14: Transport information

#### ADR

**14.1. UN number** UN2735  
**14.2. UN proper shipping name** AMINES, LIQUID, CORROSIVE, N.O.S. (Ethanolamine, 3-Aminopropyldimethylamine (DMAPA, Mixture)  
**14.3. Transport hazard class(es)**  
**Class** 8  
**Subsidiary risk** -  
**Tunnel restriction code** (E)  
**14.4. Packing group** II  
**14.5. Environmental hazards** No.  
**14.6. Special precautions for user** Not available.

#### RID

**14.1. UN number** UN2735  
**14.2. UN proper shipping name** AMINES, LIQUID, CORROSIVE, N.O.S. (Ethanolamine, 3-Aminopropyldimethylamine (DMAPA, Mixture)  
**14.3. Transport hazard class(es)**  
**Class** 8  
**Subsidiary risk** -  
**14.4. Packing group** II  
**14.5. Environmental hazards** No.  
**14.6. Special precautions for user** Not available.

#### ADN

**14.1. UN number** UN2735  
**14.2. UN proper shipping name** AMINES, LIQUID, CORROSIVE, N.O.S. (Ethanolamine, 3-Aminopropyldimethylamine (DMAPA, Mixture)  
**14.3. Transport hazard class(es)**  
**Class** 8  
**Subsidiary risk** -  
**14.4. Packing group** II  
**14.5. Environmental hazards** No.  
**14.6. Special precautions for user** Not available.

#### IATA

**14.1. UN number** UN2735  
**14.2. UN proper shipping name** AMINES, LIQUID, CORROSIVE, N.O.S. (Ethanolamine, 3-Aminopropyldimethylamine (DMAPA, Mixture)  
**14.3. Transport hazard class(es)**  
**Class** 8  
**Subsidiary risk** -  
**14.4. Packing group** II  
**14.5. Environmental hazards** No.  
**ERG Code** Not available.  
**14.6. Special precautions for user** Not available.

#### IMDG

**14.1. UN number** UN2735





# SAFETY DATA SHEET

## STEAMATE NA0840

<b>14.2. UN proper shipping name</b>	AMINES, LIQUID, CORROSIVE, N.O.S. (Ethanolamine, 3-Aminopropyldimethylamine (DMAPA, Mixture)
<b>14.3. Transport hazard class(es)</b>	
Class	8
Subsidiary risk	-
<b>14.4. Packing group</b>	II
<b>14.5. Environmental hazards</b>	
Marine pollutant	No.
<b>EmS</b>	F-A, S-B
<b>14.6. Special precautions for user</b>	Not available.
<b>14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	This substance/mixture is not intended to be transported in bulk.

ADN; ADR; IATA; IMDG; RID



### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

##### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

##### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.



# SAFETY DATA SHEET

## STEAMATE NA0840

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

3-Aminopropyldimethylamine (DMAPA) (CAS 109-55-7)

National regulations Not available.

15.2. Chemical safety assessment Not available.

### Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## SECTION 16: Other information

### List of abbreviations

EC-No: European Commission Number  
VME: Valeur moyenne d'exposition (Time weighted average)  
COD: Chemical Oxygen Demand  
IATA: International Air Transport Association  
CAS: Chemical Abstract Service.  
CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.  
CEN: European Committee for Standardization (Comité Européen de Normalisation).  
TWA: Time Weighted Average.  
STEL: Short-term Exposure Limit.  
LD50: Lethal Dose 50%.  
LC50: Lethal Concentration 50%.  
EC50: Effective Concentration 50%.  
NOEL: No observed effect level.  
BOD: Biochemical oxygen demand.  
TOC: Total Organic Carbon.  
ADR: European agreement concerning the international carriage of dangerous goods by road (Accord européen relatif transport des marchandises dangereuses par route).  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures).  
IMDG Code: International Maritime Dangerous Goods Code.  
RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).  
Safety data sheets of raw materials.

### References

#### Information on evaluation method leading to the classification of mixture

The physical, health and environmental hazards of this mixture are assessed by applying the classification criteria for each hazard class or differentiation in Parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008 (CLP).

#### Full text of any H-statements not written out in full under Sections 2 to 15

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.  
H412 Harmful to aquatic life with long lasting effects.



# SAFETY DATA SHEET

## STEAMATE NA0840

---

<b>Revision information</b>	This document has undergone significant changes and should be reviewed in its entirety.
<b>Training information</b>	Provide training on safe handling while considering the type of application and exposure scenarios.
<b>Based on EC Directive / Regulations</b>	(EC) No 1907/2006 (REACH) (EC) No 1272/2008 (EU) 2015/830 (EU) No 1357/2014
<b>Further information</b>	Correction in Section: 2,4,8,11,15,16