



# SAFETY DATA SHEET

## DEPOSITROL BL6501

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name or designation of the mixture DEPOSITROL BL6501

Date of first issue 19/03/2009

Version number 4.7

Revision date 24/08/2022

Supersedes date 26/07/2020

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Deposit control agent

Uses advised against None known.

#### 1.3. Details of the supplier of the safety data sheet

JV Process and Water Chemicals LLC

Street V. Kadirov 10, city Chirchik, Region Tashkent

Republic of Uzbekistan, 111702

tel : +99871 209 10 40

e-mail : info@pwch.uz

www.pwch.uz

#### 1.4. Emergency telephone number

Multilingual emergency number (24/7)

Street V. Kadirov 10, city Chirchik,

Region Tashkent

Republic of Uzbekistan, 111702

tel : +99871 209 10 40

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

##### Health hazards

Serious eye damage/eye irritation

Category 1

H318 - Causes serious eye damage.

#### 2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Phosphonic acid, (1-hydroxyethylidene)bis-

##### Hazard pictograms



##### Signal word

Danger

##### Hazard statements

H318

Causes serious eye damage.



# SAFETY DATA SHEET

## DEPOSITROL BL6501

### Precautionary statements

#### Prevention

P280 Wear eye protection/face protection.

#### Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTRE/doctor.

#### Storage

Not available.

#### Disposal

Not available.

Supplemental label information None.

2.3. Other hazards None known.

### SECTION 3: Composition/information on ingredients

#### Mixtures

Chemical description Aqueous acidic solution of phosphonates and polymer

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
---------------	---	------------------	------------------------	-----------	-------

Phosphonic acid, (1-hydroxyethylidene)bis-	10 - < 25	2809-21-4 220-552-8	01-2119510391-53	-	
---	-----------	------------------------	------------------	---	--

**Classification:** Met. Corr. 1;H290, Acute Tox. 4;H302, Eye Dam. 1;H318

The classification of the above substance(s) is given, including the hazard class, category code and hazard statements which are assigned in accordance with their physicochemical, health and environmental hazards. Please refer to section 16 where the full text of each relevant H-statement is listed.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Inhalation** Move to fresh air.

**Skin contact** Take off immediately all contaminated clothing.  
Wash off immediately with plenty of water.

**Eye contact** Rinse immediately with plenty of water for at least 15 minutes.  
Get medical attention immediately.

**Ingestion** Rinse mouth.

**4.2. Most important symptoms and effects, both acute and delayed** Irritant effects.

**4.3. Indication of any immediate medical attention and special treatment needed** Not available.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** Dry chemical, CO<sub>2</sub>, water spray or regular foam.

**Unsuitable extinguishing media** Not available.

**5.2. Special hazards arising from the substance or mixture** Oxides of carbon, nitrogen, phosphorus, and sulphur evolved in fire.

#### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Self contained breathing apparatus. (CEN : EN 137)  
Protective clothing (CEN : EN 469)  
Protective gloves (CEN : EN 659)  
Helmet (CEN : EN 443)



# SAFETY DATA SHEET

## DEPOSITROL BL6501

<b>Special fire fighting procedures</b>	Use standard firefighting procedures and consider the hazards of other involved materials. Prevent spillage and fire-fighting water from entering in public sewers or the immediate environment.
---	--

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	Wear protective clothing, gloves and safety goggles.
<b>For emergency responders</b>	Use personal protection recommended in Section 8 of the SDS.

#### 6.2. Environmental precautions

Prevent from entering sewers or the immediate environment.  
 Accidental release of large quantities into the aquatic environment may harm aquatic organisms.

#### 6.3. Methods and material for containment and cleaning up

Absorb onto inert material and dispose of according to Hazardous Waste Regulations.  
 Remove small spills with plenty of water.

#### 6.4. Reference to other sections

Please refer also to section no. 8 'Exposure controls' for further information.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety procedures.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed.  
 Store in cool, well ventilated area.  
 Store containers closed when not in use.

#### 7.3. Specific end use(s)

Only for professional and industrial users

#### Shelf life

720 days

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

<b>Occupational exposure limits</b>	No exposure limits noted for ingredient(s).
<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Recommended monitoring procedures</b>	Not available.

#### Derived no effect levels (DNELs)

##### Workers

Components	Value	Assessment factor	Notes
Phosphonic acid, (1-hydroxyethylidene)bis- (CAS 2809-21-4)			
Long-term, Systemic, Oral	13 mg/kg/day		
Short-term, Systemic, Oral	13 mg/kg/day		

#### Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor	Notes
Phosphonic acid, (1-hydroxyethylidene)bis- (CAS 2809-21-4)			
Freshwater	0,136 mg/l	50	
Marine water	0,014 mg/l	500	
Secondary poisoning	12 g/kg	30	
Sediment (freshwater)	59 mg/kg		
Sediment (marine water)	5,9 mg/kg		
Soil	96 mg/kg		
STP	20 mg/l	1	

#### 8.2. Exposure controls

<b>Appropriate engineering controls</b>	Ensure good ventilation.
---	--------------------------

#### Individual protection measures, such as personal protective equipment

<b>Eye/face protection</b>	Splash proof chemical goggles. CEN : EN 166
----------------------------	--

#### Skin protection



# SAFETY DATA SHEET

## DEPOSITROL BL6501

- Hand protection	Neoprene gloves (Protection against unintentional short-term contact) Nitrile gloves (Protection against unintentional short-term contact) Coating thickness: 0.5 mm Penetration time: > 480 min CEN : EN 374-1/2/3/4; EN 420
- Other	Protective clothing. CEN : EN ISO 13688; EN ISO 6529; EN 14605
Respiratory protection	In case of insufficient ventilation, use a breathing mask with filter type: A2-P2 CEN : EN 140; EN 14387
Thermal hazards	Not available.
Environmental exposure controls	Prevent from entering in public sewers or the immediate environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

##### Appearance

Colour	Amber
Physical state	Liquid
Odour	Slight
Odour threshold	Not available.
pH (concentrated product)	1,2
pH in aqueous solution	2 (5% SOL.)
Melting point/freezing point	-4 °C
Initial boiling point and boiling range	104 °C
Flash point	Not applicable.
Evaporation rate	< 1 (Ether = 1)
Flammability (solid, gas)	Not applicable.

##### Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.

Vapour pressure	18 mm Hg
Vapour pressure temp.	21 °C
Vapour density	< 1 (Air = 1)
Relative density	1,18
Relative density temperature	21 °C
Solubility	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not available.
Viscosity	14 cps
Viscosity temperature	21 °C
Explosive properties	Not available.
Oxidising properties	Not available.

#### 9.2. Other information

Pour point	-1 °C
Shelf life	720 days



# SAFETY DATA SHEET

## DEPOSITROL BL6501

VOC 0 % (Estimated)

### SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	Not applicable.
10.4. Conditions to avoid	Keep away from heat.
10.5. Incompatible materials	Avoid contact with strong bases. Avoid contact with strong oxidisers.
10.6. Hazardous decomposition products	Oxides of carbon, nitrogen, phosphorus, and sulphur evolved in fire.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Product	Test Results
DEPOSITROL BL6501 (Mixture)	Acute Dermal LD50 Rabbit: > 5000 mg/kg (Calculated according to GHS additivity formula) Acute Oral LD50 Rat: > 5000 mg/kg (Calculated according to GHS additivity formula)

Components	Test Results
Phosphonic acid, (1-hydroxyethylidene)bis- (2809-21-4)	Acute Dermal LD50 Rabbit: > 7940 mg/kg Acute Oral LD50 Rat: 1878 mg/kg

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Carcinogenicity	Not classified. Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

Ingestion	May cause irritation of the gastrointestinal tract.
Inhalation	Prolonged or excessive inhalation may cause respiratory tract irritation.
Skin contact	May be irritating to the skin.
Eye contact	Causes serious eye damage.

Symptoms	Not available.
Aspiration hazard	Based on available data, the classification criteria are not met.
Mixture versus substance information	None known.
Other information	Not available.

### SECTION 12: Ecological information

#### 12.1. Toxicity



# SAFETY DATA SHEET

## DEPOSITROL BL6501

Product	Species		Test Results	
DEPOSITROL BL6501 (CAS Mixture)				
Aquatic	Crustacea	LC50	Ceriodaphnia	1414 mg/l, Static Renewal Bioassay, 96 hour, (pH adjusted)
		NOEL	Ceriodaphnia	1000 mg/l, Static Renewal Bioassay, 96 hour, (pH adjusted)
Fish	LC50	Fathead minnow		5984 mg/l, Static Renewal Bioassay, 96 hour, (pH adjusted)
			Rainbow trout	6562 mg/l, Static Renewal Bioassay, 96 hour, (pH adjusted)
		NOEL	Fathead minnow	4000 mg/l, Static Renewal Bioassay, 96 hour, (pH adjusted)
			Rainbow trout	4000 mg/l, Static Renewal Bioassay, 96 hour, (pH adjusted)

### 12.2. Persistence and degradability

- COD (mgO<sub>2</sub>/g) 342 (calculated data)
- BOD 5 (mgO<sub>2</sub>/g) 0 (calculated data)
- BOD 28 (mgO<sub>2</sub>/g) 17 (calculated data)
- Closed Bottle Test (% Degradation in 28 days) 5 (calculated data)
- TOC (mg C/g) 94 (calculated data)

12.3. Bioaccumulative potential Not available.

Partition coefficient n-octanol/water (log K<sub>ow</sub>) Not available.

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Contaminated packaging** According to Hazardous Waste Regulations.

EWC ( European Waste Code ) recommendation : 15 01 10  
 15 Waste packaging; absorbents, wiping cloths, filter materials and protective clothing not otherwise specified.  
 15 01 Packaging (including separately collected municipal packaging waste).  
 15 01 10 Packaging containing residues of or contaminated by dangerous substances.  
 Depending on the origin and state of the waste, other EWC numbers may be applicable too.

**Disposal methods/information** According to Hazardous Waste Regulations.

EWC ( European Waste Code ) recommendation : 16 03 05  
 16 Wastes not otherwise specified in the list.  
 16 03 Off-specification batches and unused products.  
 16 03 05 Organic wastes containing dangerous substances.  
 Depending on the origin and state of the waste, other EWC numbers may be applicable too.

## SECTION 14: Transport information

### ADR

Not regulated as dangerous goods.

### RID

Not regulated as dangerous goods.



# SAFETY DATA SHEET

## DEPOSITROL BL6501

### ADN

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**

Not listed.

#### Other EU regulations

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

Not listed.

#### National regulations

Not available.

#### 15.2. Chemical safety assessment

Not available.

#### NSF Registered and/or meets USDA (according to 1998 guidelines):

Registration No. – 141933

Category Code(s):

G5 Cooling and retort water treatment products

G7 Boiler, steam line treatment products – nonfood contact

#### Inventory status

##### Country(s) or region

Europe

##### Inventory name

European Inventory of Existing Commercial Chemical Substances (EINECS)

##### On inventory (yes/no)\*

Yes



# SAFETY DATA SHEET

## DEPOSITROL BL6501

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European List of Notified Chemical Substances (ELINCS)	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### SECTION 16: Other information

#### List of abbreviations

COD: Chemical Oxygen Demand  
IATA: International Air Transport Association  
EC-No: European Commission Number  
CAS: Chemical Abstract Service.  
CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.  
CEN: European Committee for Standardization (Comité Européen de Normalisation).  
TWA: Time Weighted Average.  
STEL: Short-term Exposure Limit.  
LD50: Lethal Dose 50%.  
LC50: Lethal Concentration 50%.  
EC50: Effective Concentration 50%.  
NOEL: No observed effect level.  
BOD: Biochemical oxygen demand.  
TOC: Total Organic Carbon.  
ADR: European agreement concerning the international carriage of dangerous goods by road (Accord européen relatif transport des marchandises dangereuses par route).  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures).  
IMDG Code: International Maritime Dangerous Goods Code.  
RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).  
Safety data sheets of raw materials.

#### References

#### Information on evaluation method leading to the classification of mixture

The physical, health and environmental hazards of this mixture are assessed by applying the classification criteria for each hazard class or differentiation in Parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008 (CLP).

#### Full text of any H-statements not written out in full under Sections 2 to 15

H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H318 Causes serious eye damage.

#### Revision information

This document has undergone significant changes and should be reviewed in its entirety.

#### Training information

Provide training on safe handling while considering the type of application and exposure scenarios.

#### Based on EC Directive / Regulations

(EC) No 1907/2006 (REACH)  
(EU) 2015/830  
(EC) No 1272/2008  
(EU) No 1357/2014

This information is based on our current knowledge and is intended to describe the product for the purpose of safety requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

#### Further information

Correction in Section: 8,11