



P&WC

Version: 3.4
Effective date: 26/08/2020
Previous Date: 24/09/2018

SAFETY DATA SHEET

CUSTOM CLEAN CC37 (CleanPlus CP 37)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture CUSTOM CLEAN CC37 (CleanPlus CP 37)

Date of first issue 19/07/2013

Version number 3.4

Revision date 26/08/2020

Supersedes date 24/09/2018

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaner

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

JV Process and Water Chemicals LLC

Address: Street V. Kadirov 10, Chirchik city,
Tashkent Region, Republic of Uzbekistan, 111727

Tel: +99871 209 10 40

Email address: info@pwch.uz

www.pwch.uz

1.4. Emergency telephone number

Multilingual emergency number (24/7)

Street V. Kadirov 10, Chirchik city,
Tashkent Region,
Republic of Uzbekistan, 111727

Tel: +99871 209 10 40

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 1C H314 - Causes severe skin burns and eye damage.

Serious eye damage/eye irritation Category 1 H318 - Causes serious eye damage.

Skin sensitisation Category 1A H317 - May cause an allergic skin reaction.

Environmental hazards

Hazardous to the aquatic environment, acute aquatic hazard Category 1 H400 - Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term aquatic hazard Category 2 H411 - Toxic to aquatic life with long lasting effects.



P&WC

SAFETY DATA SHEET

CUSTOM CLEAN CC37 (CleanPlus CP 37)

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 1,3-Dimethyl-2-thiourea, Fatty acids, C18 unsat, reaction products with diethylenetriamine, Hydroxyacetic acid

Hazard pictograms



Signal word Danger

Hazard statements

H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water and easy to do. Continue rinsing.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTRE/doctor.

Storage Not available.

Disposal Not available.

Supplemental label information None.

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

Mixtures

Chemical description Aqueous solution of polyol and cyclic amine

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
2-Methylpentane-2,4-diol (Hexylene glycol)	20 - < 30	107-41-5 203-489-0	01-2119539582-35	603-053-00-3	
Classification:	Skin Irrit. 2;H315, Eye Irrit. 2;H319				
Hydroxyacetic acid	3 - < 5	79-14-1 201-180-5	01-2119485579-17	-	
Classification:	Skin Corr. 1B;H314, Acute Tox. 4;H332				
1,3-Dimethyl-2-thiourea	< 0,2	534-13-4 208-588-2	-	-	
Classification:	Skin Sens. 1;H317				



P&WC

SAFETY DATA SHEET

CUSTOM CLEAN CC37 (CleanPlus CP 37)

Version: 3.4
Effective date: 26/08/2020
Previous Date: 24/09/2018

UVCB substance(s)

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Fatty acids, C18 unsat, reaction products with diethylenetriamine	10 - 25	1226892-43-8 629-715-1	01-2119487013-43	-	

Classification: Skin Corr. 1C;H314, Skin Sens. 1A;H317, Aquatic Acute 1;H400(M=10), Aquatic Chronic 1;H410

The classification of the above substance(s) is given, including the hazard class, category code and hazard statements which are assigned in accordance with their physicochemical, health and environmental hazards. Please refer to section 16 where the full text of each relevant H-statement is listed.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately.
Skin contact	Take off immediately all contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately.
Eye contact	Rinse immediately with plenty of water for at least 15 minutes. Keep eyelids apart. Get medical attention immediately.
Ingestion	Rinse mouth. Do not give anything to eat or drink. Do not induce vomiting. Call a physician or poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed Corrosive effects.
May cause allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None.

5.2. Special hazards arising from the substance or mixture Oxides of carbon and nitrogen evolved in fire.

5.3. Advice for firefighters

Special protective equipment for firefighters	Self contained breathing apparatus. (CEN : EN 137) Protective clothing (CEN : EN 469) Protective gloves (CEN : EN 659) Helmet (CEN : EN 443)
Special fire fighting procedures	Use standard firefighting procedures and consider the hazards of other involved materials. Prevent spillage and fire-fighting water from entering in public sewers or the immediate environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Wear protective clothing, gloves and safety goggles.
For emergency responders	Use personal protection recommended in Section 8 of the SDS.



P&WC
SAFETY DATA SHEET
CUSTOM CLEAN CC37 (CleanPlus CP 37)

- 6.2. Environmental precautions** Prevent from entering sewers or the immediate environment.
 Do not empty into drains, dispose of this material and its container to hazardous or special waste collection point.
- 6.3. Methods and material for containment and cleaning up** Absorb onto inert material and dispose of according to Hazardous Waste Regulations.
 Remove small spills with plenty of water.
- 6.4. Reference to other sections** Please refer also to section no. 8 'Exposure controls' for further information.

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling** Avoid contact with skin and eyes.
 Handle in accordance with good industrial hygiene and safety procedures.
- 7.2. Conditions for safe storage, including any incompatibilities** Store in cool, well ventilated area.
 Protect from freezing.
 Store containers closed when not in use.
- 7.3. Specific end use(s)** Only for professional and industrial users
- Shelf life** 270 Days

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value
2-Methylpentane-2,4-diol (Hexylene glycol) (CAS 107-41-5)	STEL	123 mg/m3
	TWA	25 ppm
		123 mg/m3
		25 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Not available.

Derived no effect levels (DNELs)

Workers

Components	Value	Assessment factor	Notes
2-Methylpentane-2,4-diol (Hexylene glycol) (CAS 107-41-5)			
Long-term, Local, Inhalation	49 mg/m3		
Long-term, Systemic, Dermal	2 mg/kg	250	
Long-term, Systemic, Inhalation	14 mg/m3	62.5	
Short-term, Local, Inhalation	98 mg/m3		
Hydroxyacetic acid (CAS 79-14-1)			
Long-term, Local, Inhalation	1,53 mg/m3	75	
Long-term, Systemic, Dermal	57,69 mg/kg	100	
Long-term, Systemic, Inhalation	10,56 mg/m3	25	
Short-term, Local, Inhalation	9,2 mg/m3	12	
Short-term, Systemic, Inhalation	9,2 mg/m3	25	

UVCB substance(s)

Value	Assessment factor	Notes
Fatty acids, C18 unsat, reaction products with diethylenetriamine (CAS 1226892-43-8)		
Long-term, Systemic, Dermal	0,25 mg/kg bw/day	40
Long-term, Systemic, Inhalation	1,7 mg/m3	10

Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor	Notes
2-Methylpentane-2,4-diol (Hexylene glycol) (CAS 107-41-5)			
Freshwater	0,429 mg/l	1000	
Intermittent releases	4,29 mg/l	100	
Marine water	0,0429 mg/l	10000	



SAFETY DATA SHEET

CUSTOM CLEAN CC37 (CleanPlus CP 37)

Secondary poisoning	100 mg/kg	90
Sediment (freshwater)	1,79 mg/kg	
Sediment (marine water)	0,179 mg/kg	
Soil	0,11 mg/kg	
STP	20 mg/l	10
Hydroxyacetic acid (CAS 79-14-1)		
Freshwater	0,0312 mg/l	1000
Intermittent releases	0,312 mg/l	100
Marine water	0,0031 mg/l	10000
Secondary poisoning	16,66 mg/kg	90
Sediment (freshwater)	0,115 mg/kg	1
Sediment (marine water)	0,0115 mg/kg	1
Soil	0,007 mg/kg	1
STP	7 mg/l	10

UVCB substance(s)	Value	Assessment factor	Notes
-------------------	-------	-------------------	-------

Fatty acids, C18 unsat, reaction products with diethylenetriamine (CAS 1226892-43-8)

Freshwater	25,4 µg/l	10
Intermittent releases	2,94 µg/l	100
Marine water	2,54 µg/l	100
Secondary poisoning	2 mg/kg	300
Sediment (freshwater)	99,4 mg/kg	1
Sediment (marine water)	9,94 mg/kg	1
Soil	9,44 mg/kg	100
STP	5,57 mg/l	10

8.2. Exposure controls

Appropriate engineering controls Adequate ventilation to maintain air contaminants below exposure limits.
Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Splash proof chemical goggles.
Face shield.
CEN : EN 166

Skin protection

- Hand protection Gauntlet type neoprene gloves (Protection against unintentional short-term contact)
Gauntlet type nitrile gloves (Protection against unintentional short-term contact)
Coating thickness: 0.5 mm
Penetration time: > 480 min
CEN : EN 374-1/2/3/4; EN 420

- Other Chemical resistant apron.
CEN : EN ISO 13688; EN ISO 6529; EN 14605

Respiratory protection In case of insufficient ventilation, use a breathing mask with filter type: A2-P2
CEN : EN 140; EN 14387

Thermal hazards Not available.

Environmental exposure controls Prevent from entering in public sewers or the immediate environment.
Do not empty into drains, dispose of this material and its container to hazardous or special waste collection point.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Colour Brown

Physical state Liquid

Odour Amine

Odour threshold Not available.

pH (concentrated product) 6,9 Neat

pH in aqueous solution Not available.

Melting point/freezing point -8 °C



P&WC

SAFETY DATA SHEET

CUSTOM CLEAN CC37 (CleanPlus CP 37)

Initial boiling point and boiling range	104 °C
Flash point	> 100 °C P-M(CC)
Evaporation rate	Slower than Ether
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	18 mmHg
Vapour pressure temp.	21 °C
Vapour density	< 1
Relative density	1,01
Relative density temperature	21 °C
Solubility	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not available.
Viscosity	49 mPa.s
Viscosity temperature	21 °C
Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information	
Pour point	-5 °C
Shelf life	270 Days
VOC	24,7 % Estimated

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	Not applicable.
10.4. Conditions to avoid	Protect from freezing.
10.5. Incompatible materials	Avoid contact with strong oxidisers.
10.6. Hazardous decomposition products	Oxides of carbon and nitrogen evolved in fire.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Product	Test Results
CUSTOM CLEAN CC37 (CleanPlus CP 37) (Mixture)	Acute Dermal LD50 Rabbit: > 5000 mg/kg (Calculated according to GHS additivity formula) Acute Oral LD50 Rat: > 5000 mg/kg (Calculated according to GHS additivity formula)
Components	Test Results
2-Methylpentane-2,4-diol (Hexylene glycol) (107-41-5)	Acute Dermal LD50 Rabbit: > 5000 mg/kg Acute Oral LD50 Rat: 3700 mg/kg



P&WC

SAFETY DATA SHEET

CUSTOM CLEAN CC37 (CleanPlus CP 37)

Components	Test Results
Hydroxyacetic acid (79-14-1)	Acute Inhalation LC50 Rat: 3,6 mg/l 4 hour Acute Oral LD50 Rat: 2040 mg/kg
Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Causes severe skin burns and eye damage.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	May cause an allergic skin reaction. Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Information on likely routes of exposure	
Ingestion	May cause irritation of the gastrointestinal tract.
Inhalation	Prolonged or excessive inhalation may cause respiratory tract irritation.
Skin contact	Causes severe skin burns. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Symptoms	Not available.
Aspiration hazard	Based on available data, the classification criteria are not met.
Mixture versus substance information	None known.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity

Product	Species	Test Results	
CUSTOM CLEAN CC37 (CleanPlus CP 37) (CAS Mixture)			
Aquatic			
Crustacea	LC50	Daphnia magna	3,6 mg/l, Static Acute Bioassay, 48 hour
	NOEL	Daphnia magna	1 mg/l, Static Acute Bioassay, 48 hour
Fish	LC50	Bluegill sunfish	2,1 mg/l, Static Acute Bioassay, 96 hour
	NOEL	Bluegill sunfish	1,35 mg/l, Static Acute Bioassay, 96 hour

12.2. Persistence and degradability

- COD (mgO2/g) 1009 (calculated data)
- BOD 5 (mgO2/g) 19 (calculated data)
- BOD 28 (mgO2/g) 353 (calculated data)
- Closed Bottle Test (% Degradation in 28 days) 30 (calculated data)
- TOC (mg C/g) 297 (calculated data)

12.3. Bioaccumulative potential

Not available.

Partition coefficient n-octanol/water (log Kow)

Hydroxyacetic acid -1,11



P&WC

SAFETY DATA SHEET

CUSTOM CLEAN CC37 (CleanPlus CP 37)

Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Contaminated packaging	According to Hazardous Waste Regulations. EWC (European Waste Code) recommendation : 15 01 10 15 Waste packaging; absorbents, wiping cloths, filter materials and protective clothing not otherwise specified. 15 01 Packaging (including separately collected municipal packaging waste). 15 01 10 Packaging containing residues of or contaminated by dangerous substances. Depending on the origin and state of the waste, other EWC numbers may be applicable too.
------------------------	---

Disposal methods/information	According to Hazardous Waste Regulations. EWC (European Waste Code) recommendation : 16 03 05 16 Wastes not otherwise specified in the list. 16 03 Off-specification batches and unused products. 16 03 05 Organic wastes containing dangerous substances. Depending on the origin and state of the waste, other EWC numbers may be applicable too.
------------------------------	--

SECTION 14: Transport information

ADR

14.1. UN number	UN3267
14.2. UN proper shipping name	Corrosive liquid, basic, organic, n.o.s. (Fatty acids, C18 unsat, reaction products with diethylenetriamine, Mixture)
14.3. Transport hazard class(es)	
Class	8
Subsidiary risk	-
Tunnel restriction code	(E)
14.4. Packing group	II
14.5. Environmental hazards	Yes
14.6. Special precautions for user	Not available.

RID

14.1. UN number	UN3267
14.2. UN proper shipping name	Corrosive liquid, basic, organic, n.o.s. (Fatty acids, C18 unsat, reaction products with diethylenetriamine, Mixture)
14.3. Transport hazard class(es)	
Class	8
Subsidiary risk	-
14.4. Packing group	II
14.5. Environmental hazards	Yes
14.6. Special precautions for user	Not available.

ADN

14.1. UN number	UN3267
14.2. UN proper shipping name	Corrosive liquid, basic, organic, n.o.s. (Fatty acids, C18 unsat, reaction products with diethylenetriamine, Mixture)
14.3. Transport hazard class(es)	
Class	8
Subsidiary risk	-
14.4. Packing group	II
14.5. Environmental hazards	Yes



P&WC

SAFETY DATA SHEET

CUSTOM CLEAN CC37 (CleanPlus CP 37)

14.6. Special precautions for user Not available.

IATA

14.1. UN number UN3267
14.2. UN proper shipping name Corrosive liquid, basic, organic, n.o.s. (Fatty acids, C18 unsat, reaction products with diethylenetriamine, Mixture)
14.3. Transport hazard class(es)
Class 8
Subsidiary risk -
14.4. Packing group II
14.5. Environmental hazards Yes
ERG Code Not available.
14.6. Special precautions for user Not available.


IMDG

14.1. UN number UN3267
14.2. UN proper shipping name Corrosive liquid, basic, organic, n.o.s. (Fatty acids, C18 unsat, reaction products with diethylenetriamine, Mixture)
14.3. Transport hazard class(es)
Class 8
Subsidiary risk -
14.4. Packing group II
14.5. Environmental hazards
Marine pollutant Yes
EmS F-A, S-B
14.6. Special precautions for user Not available.
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code This substance/mixture is not intended to be transported in bulk.

ADN; ADR; IATA; IMDG; RID



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Material name: CUSTOM CLEAN CC37 (CleanPlus CP 37)



SAFETY DATA SHEET

CUSTOM CLEAN CC37 (CleanPlus CP 37)

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

National regulations

Not available.

15.2. Chemical safety assessment

Not available.

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations

COD: Chemical Oxygen Demand
 EC-No: European Commission Number
 IATA: International Air Transport Association
 CAS: Chemical Abstract Service.
 CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
 CEN: European Committee for Standardization (Comité Européen de Normalisation).
 TWA: Time Weighted Average.
 STEL: Short-term Exposure Limit.
 LD50: Lethal Dose 50%.
 LC50: Lethal Concentration 50%.
 EC50: Effective Concentration 50%.
 NOEL: No observed effect level.



P&WC

Version: 3.4
Effective date: 26/08/2020
Previous Date: 24/09/2018

SAFETY DATA SHEET

CUSTOM CLEAN CC37 (CleanPlus CP 37)

BOD: Biochemical oxygen demand.
TOC: Total Organic Carbon.
ADR: European agreement concerning the international carriage of dangerous goods by road (Accord européen relatif transport des marchandises dangereuses par route).
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures).
IMDG Code: International Maritime Dangerous Goods Code.
RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).
Safety data sheets of raw materials.

References

Information on evaluation method leading to the classification of mixture

The physical, health and environmental hazards of this mixture are assessed by applying the classification criteria for each hazard class or differentiation in Parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008 (CLP).

Full text of any H-statements not written out in full under Sections 2 to 15

H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Revision information

Composition / Information on Ingredients: Disclosure Overrides
SECTION 3: Composition/information on ingredients: Composition comments
SECTION 8: Exposure controls/personal protection: - Hand protection
SECTION 11: Toxicological information: Acute toxicity
SECTION 11: Toxicological information: Carcinogenicity
SECTION 11: Toxicological information: Germ cell mutagenicity
SECTION 11: Toxicological information: Reproductive toxicity
SECTION 11: Toxicological information: Respiratory or skin sensitisation
SECTION 11: Toxicological information: Specific target organ toxicity - repeated exposure
SECTION 11: Toxicological information: Specific target organ toxicity - single exposure
SECTION 16: Other information: Further information
GHS: Classification

Training information

Provide training on safe handling while considering the type of application and exposure scenarios.

Based on EC Directive / Regulations

(EC) No 1907/2006 (REACH)
(EU) 2015/830
(EC) No 1272/2008
(EU) No 1357/2014

Further information

Correction in Section: 8,11