



P&WC

Version: 7.5  
Effective date: 05/06/2020  
Previous Date: 26/04/2018

## SAFETY DATA SHEET

# DEPOSITROL SF5100 (Dissolv SF 63)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name or designation of the mixture DEPOSITROL SF5100 (Dissolv SF 63)

Version number 7.5

Revision date 05/06/2020

Supersedes date 26/04/2018

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Antifoulant

Uses advised against None known.

#### 1.3. Details of the supplier of the safety data sheet

JV Process and Water Chemicals LLC

Address: Street V. Kadirov 10, Chirchik city,  
Tashkent Region, Republic of Uzbekistan, 111727

Tel: +99871 209 10 40

Email address: info@pwch.uz

www.pwch.uz

#### 1.4. Emergency telephone number

Multilingual emergency number (24/7)

Street V. Kadirov 10, Chirchik city,  
Tashkent Region,  
Republic of Uzbekistan, 111727

Tel: +99871 209 10 40

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

##### Health hazards

Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 1	H318 - Causes serious eye damage.

#### 2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Sodium-bis-(2-ethylhexyl) sulphosuccinate

Hazard pictograms





P&amp;WC

Version: 7.5  
Effective date: 05/06/2020  
Previous Date: 26/04/2018

# SAFETY DATA SHEET

## DEPOSITROL SF5100 (Dissolv SF 63)

<b>Signal word</b>	Danger
<b>Hazard statements</b>	
H315	Causes skin irritation.
H318	Causes serious eye damage.
<b>Precautionary statements</b>	
<b>Prevention</b>	
P280	Wear protective gloves/protective clothing/eye protection/face protection.
<b>Response</b>	
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTRE/doctor.
<b>Storage</b>	Not available.
<b>Disposal</b>	Not available.
<b>Supplemental label information</b>	None.
<b>2.3. Other hazards</b>	None known.

### SECTION 3: Composition/information on ingredients

#### Mixtures

Chemical description	Surfactants in aqueous solution				
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Sodium-bis-(2-ethylhexyl) sulphosuccinate	20 - < 30	577-11-7 209-406-4	01-2119491296-29	-	
<b>Classification:</b>	Skin Irrit. 2;H315, Eye Dam. 1;H318				
2-Methylpentane-2,4-diol (Hexylene glycol)	10 - < 20	107-41-5 203-489-0	01-2119539582-35	603-053-00-3	
<b>Classification:</b>	Skin Irrit. 2;H315, Eye Irrit. 2;H319				
2-Butoxyethanol (Butylglycol)	3 - < 5	111-76-2 203-905-0	01-2119475108-36	603-014-00-0	#
<b>Classification:</b>	Acute Tox. 4;H302, Acute Tox. 4;H312, Skin Irrit. 2;H315, Eye Irrit. 2;H319, Acute Tox. 4;H332				
Ethanol	1 - 5	64-17-5 200-578-6	01-2119457610-43	603-002-00-5	
<b>Classification:</b>	Flam. Liq. 2;H225, Eye Irrit. 2;H319				
Bis(2-ethylhexyl) Maleate	< 0,2	142-16-5 205-524-5	01-2119524002-60	-	
<b>Classification:</b>	STOT RE 2;H373, Aquatic Acute 1;H400				

The classification of the above substance(s) is given, including the hazard class, category code and hazard statements which are assigned in accordance with their physicochemical, health and environmental hazards. Please refer to section 16 where the full text of each relevant H-statement is listed.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Move to fresh air.
<b>Skin contact</b>	Take off immediately all contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.



P&WC

# SAFETY DATA SHEET

## DEPOSITROL SF5100 (Dissolv SF 63)

<b>Eye contact</b>	Rinse immediately with plenty of water for at least 15 minutes. Get medical attention if irritation persists after washing.
<b>Ingestion</b>	Do not induce vomiting. Do not give anything to eat or drink.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	Irritant effects.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	Not available.

### SECTION 5: Firefighting measures

<b>5.1. Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Dry chemical, CO2, water spray or regular foam.
<b>Unsuitable extinguishing media</b>	Not available.
<b>5.2. Special hazards arising from the substance or mixture</b>	Oxides of carbon and sulphur evolved in fire.
<b>5.3. Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	Self contained breathing apparatus. (CEN : EN 137) Protective clothing (CEN : EN 469) Protective gloves (CEN : EN 659) Helmet (CEN : EN 443)
<b>Special fire fighting procedures</b>	Use standard firefighting procedures and consider the hazards of other involved materials. Prevent spillage and fire-fighting water from entering in public sewers or the immediate environment.

### SECTION 6: Accidental release measures

<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	
<b>For non-emergency personnel</b>	Wear protective clothing, gloves and safety goggles.
<b>For emergency responders</b>	Use personal protection recommended in Section 8 of the SDS.
<b>6.2. Environmental precautions</b>	Prevent from entering sewers or the immediate environment. Accidental release of large quantities into the aquatic environment may harm aquatic organisms.
<b>6.3. Methods and material for containment and cleaning up</b>	Absorb onto inert material and dispose of according to Hazardous Waste Regulations.
<b>6.4. Reference to other sections</b>	Please refer also to section no. 8 'Exposure controls' for further information.

### SECTION 7: Handling and storage

<b>7.1. Precautions for safe handling</b>	Arrange for eye wash possibility.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Protect from freezing.
<b>7.3. Specific end use(s)</b>	Only for professional and industrial users
<b>Shelf life</b>	720 days

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

##### UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value
2-Butoxyethanol (Butylglycol) (CAS 111-76-2)	STEL	246 mg/m3



P&amp;WC

## SAFETY DATA SHEET

## DEPOSITROL SF5100 (Dissolv SF 63)

Version: 7.5

Effective date: 05/06/2020

Previous Date: 26/04/2018

## UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value
2-Methylpentane-2,4-diol (Hexylene glycol) (CAS 107-41-5)		50 ppm
	TWA	123 mg/m <sup>3</sup>
		25 ppm
	STEL	123 mg/m <sup>3</sup>
		25 ppm
	TWA	123 mg/m <sup>3</sup>
Ethanol (CAS 64-17-5)		25 ppm
	TWA	1920 mg/m <sup>3</sup>
		1000 ppm
	TWA	1000 ppm

## EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU

Components	Type	Value
2-Butoxyethanol (Butylglycol) (CAS 111-76-2)	STEL	246 mg/m <sup>3</sup>
	TWA	50 ppm 98 mg/m <sup>3</sup> 20 ppm

## Biological limit values

## UK. EH40 Biological Monitoring Guidance Values (BMGVs)

Components	Value	Determinant	Specimen	Sampling Time
2-Butoxyethanol (Butylglycol) (CAS 111-76-2)	240 mmol/mol	Butoxyacetic acid	Creatinine in urine	*

\* - For sampling details, please see the source document.

Recommended monitoring procedures Not available.

## Derived no effect levels (DNELs)

## Workers

Components	Value	Assessment factor	Notes
2-Butoxyethanol (Butylglycol) (CAS 111-76-2)			
Long-term, Systemic, Dermal	125 mg/kg bw/day	1.2	Repeated dose toxicity
Long-term, Systemic, Inhalation	98 mg/m <sup>3</sup>		
Short-term, Local, Inhalation	246 mg/m <sup>3</sup>		
Short-term, Systemic, Dermal	89 mg/kg	15	
Short-term, Systemic, Inhalation	1091 mg/m <sup>3</sup>	9	Acute toxicity
2-Methylpentane-2,4-diol (Hexylene glycol) (CAS 107-41-5)			
Long-term, Local, Inhalation	49 mg/m <sup>3</sup>		
Long-term, Systemic, Dermal	2 mg/kg	250	
Long-term, Systemic, Inhalation	14 mg/m <sup>3</sup>	62.5	
Short-term, Local, Inhalation	98 mg/m <sup>3</sup>		
Bis(2-ethylhexyl) Maleate (CAS 142-16-5)			
Long-term, Systemic, Dermal	2,5 mg/kg bw/day	72	
Long-term, Systemic, Inhalation	7 mg/m <sup>3</sup>	9	Repeated dose toxicity
Ethanol (CAS 64-17-5)			
Long-term, Systemic, Dermal	343 mg/kg	24	Repeated dose toxicity
Long-term, Systemic, Inhalation	950 mg/m <sup>3</sup>		Carcinogenicity
Short-term, Local, Inhalation	1900 mg/m <sup>3</sup>		respiratory tract irritation
Sodium-bis-(2-ethylhexyl) sulposuccinate (CAS 577-11-7)			
Long-term, Systemic, Dermal	267,86 mg/kg bw/day	24	
Long-term, Systemic, Inhalation	1889,1 mg/m <sup>3</sup>		



P&WC

# SAFETY DATA SHEET

## DEPOSITROL SF5100 (Dissolv SF 63)

Version: 7.5  
Effective date: 05/06/2020  
Previous Date: 26/04/2018

### Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor	Notes
<b>2-Butoxyethanol (Butylglycol) (CAS 111-76-2)</b>			
Freshwater	8,8 mg/l	10	
Intermittent releases	9,1 mg/l	100	
Marine water	0,88 mg/l	100	
Secondary poisoning	0,02 g/kg	90	
Sediment (freshwater)	34,6 mg/kg		
Sediment (marine water)	3,46 mg/kg		
Soil	2,33 mg/kg		
STP	463 mg/l	1	
<b>2-Methylpentane-2,4-diol (Hexylene glycol) (CAS 107-41-5)</b>			
Freshwater	0,429 mg/l	1000	
Intermittent releases	4,29 mg/l	100	
Marine water	0,0429 mg/l	10000	
Secondary poisoning	100 mg/kg	90	
Sediment (freshwater)	1,79 mg/kg		
Sediment (marine water)	0,179 mg/kg		
Soil	0,11 mg/kg		
STP	20 mg/l	10	
<b>Bis(2-ethylhexyl) Maleate (CAS 142-16-5)</b>			
Freshwater	1,04 µg/l	50	
Intermittent releases	6,19 µg/l		
Marine water	104 ng/l	500	
Secondary poisoning	20 mg/kg	300	Oral
Sediment (freshwater)	15,95 mg/kg		
Sediment (marine water)	1,595 mg/kg		
Soil	3,19 mg/kg		
STP	100 mg/l	10	
<b>Ethanol (CAS 64-17-5)</b>			
Freshwater	0,96 mg/l	10	
Intermittent releases	2,75 mg/l	100	
Marine water	0,79 mg/l	100	
Secondary poisoning	0,72 g/kg	90	
Sediment (freshwater)	3,6 mg/kg		
Sediment (marine water)	2,9 mg/kg		
Soil	0,63 mg/kg	1000	
STP	580 mg/l	10	
<b>Sodium-bis-(2-ethylhexyl) sulphosuccinate (CAS 577-11-7)</b>			
Freshwater	0,18 mg/l	50	
Intermittent releases	152 µg/l	100	
Marine water	0,018 mg/l	500	
Sediment (freshwater)	17,789 mg/kg		
Sediment (marine water)	1,779 mg/kg		
Soil	1,04 mg/kg	100	
STP	12,2 mg/l	10	

### Exposure guidelines

#### UK EH40 WEL: Skin designation

2-Butoxyethanol (Butylglycol) (CAS 111-76-2) Can be absorbed through the skin.

### 8.2. Exposure controls

**Appropriate engineering controls** Adequate ventilation to maintain air contaminants below exposure limits.  
Provide eyewash station.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Splash proof chemical goggles.  
CEN : EN 166

**Skin protection**



P&WC

# SAFETY DATA SHEET

## DEPOSITROL SF5100 (Dissolv SF 63)

<b>- Hand protection</b>	Nitrile gloves (Protection against unintentional short-term contact) Neoprene gloves (Protection against unintentional short-term contact) PVC gloves (Protection against unintentional short-term contact) Coating thickness: 0.5 mm Penetration time: > 480 min CEN : EN 374-1/2/3/4; EN 420
<b>- Other</b>	Protective clothing. CEN : EN ISO 13688; EN ISO 6529; EN 14605
<b>Respiratory protection</b>	In case of insufficient ventilation, use a breathing mask with filter type: A2-P2 CEN : EN 140; EN 14387
<b>Thermal hazards</b>	Not available.
<b>Environmental exposure controls</b>	Prevent from entering in public sewers or the immediate environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

##### Appearance

**Colour** Colourless

**Physical state** Liquid

**Odour** Sweet alcohol

**Odour threshold** Not available.

**pH (concentrated product)** 6

**pH in aqueous solution** Not available.

**Melting point/freezing point** -8 °C

**Initial boiling point and boiling range** 104 °C

**Flash point** 68 °C P-M(CC)

**Evaporation rate** < 1 (Ether = 1)

**Flammability (solid, gas)** Not applicable.

##### Upper/lower flammability or explosive limits

**Flammability limit - lower (%)** Not available.

**Flammability limit - upper (%)** Not available.

**Vapour pressure** 18 mm Hg

**Vapour pressure temp.** 21 °C

**Vapour density** < 1 (Air = 1)

**Relative density** 1,03

**Relative density temperature** 21 °C

##### Solubility

**Solubility (water)** 100 %

**Partition coefficient (n-octanol/water)** Not available.

**Auto-ignition temperature** Not applicable.

**Decomposition temperature** Not available.

**Viscosity** 17 cps

**Viscosity temperature** 21 °C

**Explosive properties** Not available.

**Oxidising properties** Not available.

#### 9.2. Other information

**Pour point** -5 °C



P&WC

# SAFETY DATA SHEET

## DEPOSITROL SF5100 (Dissolv SF 63)

Shelf life	720 days
VOC	33 % (ASTM 3960-93)

### SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	Not applicable.
10.4. Conditions to avoid	Protect from freezing.
10.5. Incompatible materials	Avoid contact with strong oxidisers.
10.6. Hazardous decomposition products	Oxides of carbon and sulphur evolved in fire.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Product	Test Results
DEPOSITROL SF5100 (Dissolv SF 63) (Mixture)	Acute Dermal LD50 Rabbit: > 5000 mg/kg (Calculated according to GHS additivity formula) Acute Inhalation LC50 Rat: > 20 mg/l 4 hour (Calculated according to GHS additivity formula) Acute Oral LD50 Rat: > 5000 mg/kg (Calculated according to GHS additivity formula)
Components	Test Results
2-Methylpentane-2,4-diol (Hexylene glycol) (107-41-5)	Acute Dermal LD50 Rabbit: > 5000 mg/kg Acute Oral LD50 Rat: 3700 mg/kg
2-Butoxyethanol (Butylglycol) (111-76-2)	Acute Dermal LD50 Rabbit: 667 mg/kg Acute Inhalation LC50 Rat: 2,35 mg/l 4 hour Acute Oral LD50 Rat: 1746 mg/kg
Sodium-bis-(2-ethylhexyl) sulposuccinate (577-11-7)	Acute Dermal LD50 Rabbit: > 5000 mg/kg Acute Oral Rat: 3080 mg/kg
Ethanol (64-17-5)	Acute Dermal LD50 Rabbit: > 5000 mg/kg Acute Inhalation LC50 Rat: 124,7 mg/l/4h Acute Oral LD50 Rat: > 5000 mg/kg

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

Ingestion	May cause irritation of the gastrointestinal tract.
Inhalation	Prolonged or excessive inhalation may cause respiratory tract irritation.
Skin contact	Causes skin irritation.





P&WC

# SAFETY DATA SHEET

## DEPOSITROL SF5100 (Dissolv SF 63)

<b>Eye contact</b>	Causes serious eye damage.
<b>Symptoms</b>	Not available.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.
<b>Mixture versus substance information</b>	None known.
<b>Other information</b>	Not available.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Product	Species	Test Results
DEPOSITROL SF5100 (Dissolv SF 63) (CAS Mixture)		
<b>Aquatic</b>		
Crustacea	LC50	Daphnia magna
	NOEL	Daphnia magna
Fish	LC50	Fathead minnow
	NOEL	Fathead minnow

#### 12.2. Persistence and degradability

- COD (mgO<sub>2</sub>/g) 1145 (calculated data)
- BOD 5 (mgO<sub>2</sub>/g) 59 (calculated data)
- BOD 28 (mgO<sub>2</sub>/g) 143 (calculated data)
- Closed Bottle Test (% Degradation in 28 days) 12 (calculated data)
- Zahn-Wellens Test (% Degradation in 28 days) 69 (calculated data)
- TOC (mg C/g) 297 (calculated data)

#### 12.3. Bioaccumulative potential

##### Partition coefficient n-octanol/water (log K<sub>ow</sub>)

2-Butoxyethanol (Butylglycol)	0,83
Ethanol	-0,31
Sodium-bis-(2-ethylhexyl) sulphosuccinate	< 4,5

##### Bioconcentration factor (BCF)

Sodium-bis-(2-ethylhexyl) sulphosuccinate	56,23
---	-------

#### 12.4. Mobility in soil

#### 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

**Summary** The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Contaminated packaging** According to Hazardous Waste Regulations.

EWC ( European Waste Code ) recommendation : 15 01 10  
15 Waste packaging; absorbents, wiping cloths, filter materials and protective clothing not otherwise specified.  
15 01 Packaging (including separately collected municipal packaging waste).  
15 01 10 Packaging containing residues of or contaminated by dangerous substances.  
Depending on the origin and state of the waste, other EWC numbers may be applicable too.





P&WC

## SAFETY DATA SHEET

# DEPOSITROL SF5100 (Dissolv SF 63)

**Disposal methods/information** According to Hazardous Waste Regulations.

EWC ( European Waste Code ) recommendation : 16 03 05  
16 Wastes not otherwise specified in the list.  
16 03 Off-specification batches and unused products.  
16 03 05 Organic wastes containing dangerous substances.  
Depending on the origin and state of the waste, other EWC numbers may be applicable too.

### SECTION 14: Transport information

#### ADR

Not regulated as dangerous goods.

#### RID

Not regulated as dangerous goods.

#### ADN

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

##### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

##### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**

Not listed.

##### Other EU regulations

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

Ethanol (CAS 64-17-5)

**National regulations** Not available.



P&WC

# SAFETY DATA SHEET

## DEPOSITROL SF5100 (Dissolv SF 63)

**15.2. Chemical safety assessment** Not available.

### Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## SECTION 16: Other information

### List of abbreviations

COD: Chemical Oxygen Demand  
EC-No: European Commission Number  
IATA: International Air Transport Association  
CAS: Chemical Abstract Service.  
CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.  
CEN: European Committee for Standardization (Comité Européen de Normalisation).  
TWA: Time Weighted Average.  
STEL: Short-term Exposure Limit.  
LD50: Lethal Dose 50%.  
LC50: Lethal Concentration 50%.  
EC50: Effective Concentration 50%.  
NOEL: No observed effect level.  
BOD: Biochemical oxygen demand.  
TOC: Total Organic Carbon.  
ADR: European agreement concerning the international carriage of dangerous goods by road (Accord européen relatif transport des marchandises dangereuses par route).  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures).  
IMDG Code: International Maritime Dangerous Goods Code.  
RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).  
Safety data sheets of raw materials.

### References

#### Information on evaluation method leading to the classification of mixture

The physical, health and environmental hazards of this mixture are assessed by applying the classification criteria for each hazard class or differentiation in Parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008 (CLP).

#### Full text of any H-statements not written out in full under Sections 2 to 15

H225 Highly flammable liquid and vapour.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.

#### Revision information

This document has undergone significant changes and should be reviewed in its entirety.

#### Training information

Provide training on safe handling while considering the type of application and exposure scenarios.

#### Constituents (Regulation (EC) No 648/2004)

15 but less than 30 % of anionic surfactants  
15 but less than 30 % of aliphatic hydrocarbons

#### Based on EC Directive / Regulations

(EC) No 1907/2006 (REACH)  
(EU) 2015/830  
(EC) No 1272/2008  
(EU) No 1357/2014



P&WC

## SAFETY DATA SHEET

# DEPOSITROL SF5100 (Dissolv SF 63)

Version: 7.5

Effective date: 05/06/2020

Previous Date: 26/04/2018

---

Further information

Correction in Section: 3,8,11