



P&WC

Version: 3.6
Effective date: 14/10/2019
Previous Date: 27/05/2019

SAFETY DATA SHEET

FLOGARD POT6183 (ChemiPure PT 7 Z)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture FLOGARD POT6183 (ChemiPure PT 7 Z)

Date of first issue 11/01/2011

Version number 3.6

Revision date 14/10/2019

Supersedes date 27/05/2019

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Potable water treatment

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

JV Process and Water Chemicals LLC

Address: Street V. Kadirov 10, Chirchik city,
Tashkent Region, Republic of Uzbekistan, 111727

Tel: +99871 209 10 40

Email address: info@pwch.uz

www.pwch.uz

1.4. Emergency telephone number

Multilingual emergency number (24/7)

Street V. Kadirov 10, Chirchik city,
Tashkent Region,
Republic of Uzbekistan, 111727

Tel: +99871 209 10 40

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements The product does not need to be labelled in accordance with EC directives or respective national laws.

Precautionary statements

Prevention Not available.

Response Not available.



P&WC

SAFETY DATA SHEET

FLOGARD POT6183 (ChemiPure PT 7 Z)

Storage	Not available.
Disposal	Not available.
Supplemental label information	EUH210 - Safety data sheet available on request.
2.3. Other hazards	None known.

SECTION 3: Composition/information on ingredients

Mixtures

Chemical description Aqueous solution of inorganic salts

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Sodium silicate (MR>3.2)	20 - 40	1344-09-8 215-687-4	01-2119448725-31	-	
Classification:	Skin Irrit. 2;H315, Eye Irrit. 2;H319, STOT SE 3;H335				

Sodium silicate : As specified in CEES report (Centre Européen d'Etude des Silicates-sector group Cefic) solutions of molar ratio >3.2 and concentrations <40% are not classified as dangerous.

The classification of the above substance(s) is given, including the hazard class, category code and hazard statements which are assigned in accordance with their physicochemical, health and environmental hazards. Please refer to section 16 where the full text of each relevant H-statement is listed.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move to fresh air.
Skin contact	Wash off with plenty of water.
Eye contact	Immediately flush eye(s) with plenty of water.
Ingestion	Rinse mouth. Drink 1 or 2 glasses of water.

4.2. Most important symptoms and effects, both acute and delayed Not applicable.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Dry chemical, CO ₂ , water spray or regular foam.
Unsuitable extinguishing media	None.

5.2. Special hazards arising from the substance or mixture None known.

5.3. Advice for firefighters

Special protective equipment for firefighters Self contained breathing apparatus. (CEN : EN 137)
Protective clothing (CEN : EN 469)
Protective gloves (CEN : EN 659)
Helmet (CEN : EN 443)

Special fire fighting procedures Use standard firefighting procedures and consider the hazards of other involved materials. Prevent spillage and fire-fighting water from entering in public sewers or the immediate environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Protective clothing



P&WC

SAFETY DATA SHEET

FLOGARD POT6183 (ChemiPure PT 7 Z)

For emergency responders	Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Prevent from entering sewers or the immediate environment. Accidental release of large quantities into the aquatic environment may harm aquatic organisms.
6.3. Methods and material for containment and cleaning up	Absorb onto inert material and dispose of according to Controlled Waste Regulations. Remove small spills with plenty of water. Spills of the product are very slippery.
6.4. Reference to other sections	Please refer also to section no. 8 'Exposure controls' for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in cool, well ventilated area. Protect from freezing.
7.3. Specific end use(s)	Only for professional and industrial users
Shelf life	270 days

SECTION 8: Exposure controls/personal protection

8.1. Control parameters	
Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring procedures	Not available.
Derived no effect levels (DNELs)	

Workers

Components	Value	Assessment factor	Notes
Sodium silicate (MR>3.2) (CAS 1344-09-8)			
Long-term, Systemic, Dermal	1,59 mg/kg	100	
Long-term, Systemic, Inhalation	5,61 mg/m3	25	

Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor	Notes
Sodium silicate (MR>3.2) (CAS 1344-09-8)			
Freshwater	7,5 mg/l		
Intermittent releases	7,5 mg/l		
Marine water	1 mg/l		
STP	348 mg/l	1	

8.2. Exposure controls

Appropriate engineering controls Ensure good ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety goggles.
CEN : EN 166

Skin protection

- Hand protection Protective gloves (Plastic, impervious) (Protection against unintentional short-term contact)
Coating thickness: 0.5 mm
Penetration time: > 480 min
CEN : EN 420

- Other Protective clothing.
CEN : EN ISO 13688; EN ISO 6529; EN 14605

Respiratory protection Not required.

Thermal hazards Not available.

Environmental exposure controls Prevent from entering in public sewers or the immediate environment.



P&WC

SAFETY DATA SHEET

FLOGARD POT6183 (ChemiPure PT 7 Z)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Colour	Colourless to light pink
Physical state	Liquid

Odour Slight

Odour threshold Not available.

pH (concentrated product) 11,5

pH in aqueous solution Not available.

Melting point/freezing point -1 °C

Initial boiling point and boiling range 102 °C

Flash point Not applicable.

Evaporation rate < 1 (Ether = 1)

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Vapour pressure 18 mm Hg

Vapour pressure temp. 21 °C

Vapour density < 1 (Air = 1)

Relative density 1,39

Relative density temperature 21 °C

Solubility

Solubility (water) 100 %

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not applicable.

Decomposition temperature Not available.

Viscosity 176 cps

Viscosity temperature 21 °C

Explosive properties Not available.

Oxidising properties Not available.

9.2. Other information

Pour point 2 °C

Shelf life 270 days

VOC 0 % (Calculated)

SECTION 10: Stability and reactivity

10.1. Reactivity Strong acids.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous reactions Not applicable.

10.4. Conditions to avoid Avoid contact with strong acids.
May in contact with certain metals, such as zinc, magnesium, release hydrogen gas which may form explosive mixtures in air.



P&WC

SAFETY DATA SHEET

FLOGARD POT6183 (ChemiPure PT 7 Z)

10.5. Incompatible materials Avoid contact with aluminium or zinc alloys.
 Avoid contact with strong acids.

10.6. Hazardous decomposition products None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Product	Test Results
FLOGARD POT6183 (ChemiPure PT 7 Z) (Mixture)	Acute Dermal LD50 Rabbit: > 5000 mg/kg (Calculated according to supplier GHS classification) Acute Oral LD50 Rat: > 5000 mg/kg (Calculated according to supplier GHS classification)

Components	Test Results
Sodium silicate (MR>3.2) (1344-09-8)	Acute Dermal LD50 Rabbit: > 5000 mg/kg Acute Oral LD50 Rat: 3400 mg/kg

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation May be irritating to eyes.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

Information on likely routes of exposure

- Ingestion** May cause irritation of the gastrointestinal tract.
- Inhalation** Prolonged or excessive inhalation may cause respiratory tract irritation.
- Skin contact** May be irritating to the skin.
- Eye contact** May be irritating to eyes.

Symptoms Not available.

Aspiration hazard Based on available data, the classification criteria are not met.

Mixture versus substance information None known.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity

Product	Species	Test Results
FLOGARD POT6183 (ChemiPure PT 7 Z) (CAS Mixture)		
Aquatic		
Crustacea	LC50	Daphnia magna
	NOEL	Daphnia magna
Fish	LC50	Fathead minnow
		4212,4 mg/l, Static Renewal Bioassay, 48 hour, (pH adjusted)
		2500 mg/l, Static Renewal Bioassay, 48 hour, (pH adjusted)
		4741 mg/l, Static Renewal Bioassay, 96 hour, (pH adjusted)



P&WC

SAFETY DATA SHEET

FLOGARD POT6183 (ChemiPure PT 7 Z)

Product	Species	Test Results
	Rainbow trout	867,9 mg/l, Static Renewal Bioassay, 96 hour, (pH adjusted)
NOEL	Fathead minnow	2500 mg/l, Static Renewal Bioassay, 96 hour, (pH adjusted)
	Rainbow trout	625 mg/l, Static Renewal Bioassay, 96 hour, (pH adjusted)

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

Not available.

Partition coefficient n-octanol/water (log Kow)

Not available.

Bioconcentration factor (BCF)

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects

None.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Contaminated packaging

According to Controlled Waste Regulations.

EWC (European Waste Code) recommendation : 15 01 02; 15 01 04
 15 Waste packaging; absorbents, wiping cloths, filter materials and protective clothing not otherwise specified.
 15 01 Packaging (including separately collected municipal packaging waste).
 15 01 02 Plastic packaging.
 15 01 04 Metallic packaging.
 Depending on the origin and state of the waste, other EWC numbers may be applicable too.

Disposal methods/information

According to Controlled Waste Regulations.

EWC (European Waste Code) recommendation : 16 03 04
 16 Wastes not otherwise specified in the list.
 16 03 Off-specification batches and unused products.
 16 03 04 Inorganic wastes
 Depending on the origin and state of the waste, other EWC numbers may be applicable too.

SECTION 14: Transport information

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended
 Not listed.



P&WC

SAFETY DATA SHEET

FLOGARD POT6183 (ChemiPure PT 7 Z)

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

National regulations

Not available.

15.2. Chemical safety assessment

Not available.

NSF Registered and/or meets USDA (according to 1998 guidelines):

Registration No. – 145579

Category Code(s):

G5 Cooling and retort water treatment products

G7 Boiler, steam line treatment products – nonfood contact

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations

COD: Chemical Oxygen Demand

EC-No: European Commission Number

IATA: International Air Transport Association

CAS: Chemical Abstract Service.

CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.

CEN: European Committee for Standardization (Comité Européen de Normalisation).

TWA: Time Weighted Average.

STEL: Short-term Exposure Limit.

LD50: Lethal Dose 50%.

LC50: Lethal Concentration 50%.



P&WC

SAFETY DATA SHEET

FLOGARD POT6183 (ChemiPure PT 7 Z)

Version: 3.6

Effective date: 14/10/2019

Previous Date: 27/05/2019

EC50: Effective Concentration 50%.

NOEL: No observed effect level.

BOD: Biochemical oxygen demand.

TOC: Total Organic Carbon.

ADR: European agreement concerning the international carriage of dangerous goods by road (Accord européen relatif transport des marchandises dangereuses par route).

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures).

IMDG Code: International Maritime Dangerous Goods Code.

RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).

Safety data sheets of raw materials.

References

Information on evaluation method leading to the classification of mixture

The physical, health and environmental hazards of this mixture are assessed by applying the classification criteria for each hazard class or differentiation in Parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008 (CLP).

Full text of any H-statements not written out in full under Sections 2 to 15

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.

Training information

Provide training on safe handling while considering the type of application and exposure scenarios.

Based on EC Directive / Regulations

(EC) No 1907/2006 (REACH)

(EC) No 1272/2008

(EU) 2015/830

(EU) No 1357/2014

Further information

Correction in Section: 1,8,11