



P&WC

Version: 1.2
Effective date: 15/09/2020
Previous Date: 11/06/2019

SAFETY DATA SHEET

KLEEN MCT113 (MemKare KL 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture: KLEEN MCT113 (MemKare KL 2)

Date of first issue: 13/05/2019

Version number: 1.2

Revision date: 15/09/2020

Supersedes date: 11/06/2019

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Membrane cleaner

Uses advised against: None known.

1.3. Details of the supplier of the safety data sheet

JV Process and Water Chemicals LLC

Address: Street V. Kadirov 10, Chirchik city,
Tashkent Region, Republic of Uzbekistan, 111727

Tel: +99871 209 10 40

Email address: info@pwch.uz

www.pwch.uz

1.4. Emergency telephone number

Multilingual emergency number (24/7)

Street V. Kadirov 10, Chirchik city,
Tashkent Region,
Republic of Uzbekistan, 111727

Tel: +99871 209 10 40

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Corrosive to metals: Category 1, H290 - May be corrosive to metals.

Health hazards

Skin corrosion/irritation: Category 1B, H314 - Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Category 1, H318 - Causes serious eye damage.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Formic acid, Hydroxyacetic acid, N-hydroxyethylenediamine triacetic acid trisodium salt



P&WC

SAFETY DATA SHEET

KLEEN MCT113 (MemKare KL 2)

Hazard pictograms



Signal word

Danger

Hazard statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statements

Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTRE/doctor.

Storage

P406 Store in a corrosion resistant container with a resistant inner liner.

Disposal

Not available.

Supplemental label information

None.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

Mixtures

Chemical description

Aqueous acidic solution of organic compounds

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Citric acid	10 - < 20	77-92-9 201-069-1	01-2119457026-42	-	
Classification:	Eye Irrit. 2;H319				
Formic acid	5 - < 10	64-18-6 200-579-1	01-2119491174-37	607-001-00-0	#
Classification:	Flam. Liq. 3;H226, Acute Tox. 4;H302, Skin Corr. 1A;H314, Acute Tox. 3;H331				B
Hydroxyacetic acid	5 - < 10	79-14-1 201-180-5	01-2119485579-17	-	
Classification:	Skin Corr. 1B;H314, Acute Tox. 4;H332				
N-hydroxyethylenediamine triacetic acid trisodium salt	5 - < 10	139-89-9 205-381-9	01-2119972845-22	-	
Classification:	Acute Tox. 4;H302, Eye Dam. 1;H318				
Trisodium nitrilotriacetate	< 5	5064-31-3 225-768-6	01-2119519239-36	607-620-00-6	
Classification:	Acute Tox. 4;H302, Eye Irrit. 2;H319, Carc. 2;H351				

The classification of the above substance(s) is given, including the hazard class, category code and hazard statements which are assigned in accordance with their physicochemical, health and environmental hazards. Please refer to section 16 where the full text of each relevant H-statement is listed.



P&WC

SAFETY DATA SHEET

KLEEN MCT113 (MemKare KL 2)

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison centre or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Ingestion	Rinse mouth. Do not induce vomiting. Do not give anything to eat or drink. Call a physician or poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed Corrosive effects.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Dry chemical, CO ₂ , water spray or regular foam.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters	Self contained breathing apparatus. (CEN : EN 137) Protective clothing (CEN : EN 469) Protective gloves (CEN : EN 659) Helmet (CEN : EN 443)
Special fire fighting procedures	Use standard firefighting procedures and consider the hazards of other involved materials. Prevent spillage and fire-fighting water from entering in public sewers or the immediate environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Wear protective clothing, gloves and safety goggles.

For emergency responders Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions Prevent from entering sewers or the immediate environment.
Accidental release of large quantities into the aquatic environment may harm aquatic organisms.

6.3. Methods and material for containment and cleaning up After cleaning, flush away traces with water.
Absorb onto inert material and dispose of according to Hazardous Waste Regulations.

6.4. Reference to other sections Please refer also to section no. 8 'Exposure controls' for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Observe good industrial hygiene practices.
Avoid contact with eyes, skin, and clothing.

7.2. Conditions for safe storage, including any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place.
Store in corrosive resistant container with a resistant inner liner.

7.3. Specific end use(s) Only for professional and industrial users



P&WC

SAFETY DATA SHEET

KLEEN MCT113 (MemKare KL 2)

Shelf life 720 Days

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value
Formic acid (CAS 64-18-6)	TWA	9,6 mg/m3 5 ppm

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU

Components	Type	Value
Formic acid (CAS 64-18-6)	TWA	9 mg/m3 5 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Not available.

Derived no effect levels (DNELs)

Workers

Components	Value	Assessment factor	Notes
Formic acid (CAS 64-18-6)			
Long-term, Local, Inhalation	9,5 mg/m3		
Short-term, Local, Inhalation	19 mg/m3		
Hydroxyacetic acid (CAS 79-14-1)			
Long-term, Local, Inhalation	1,53 mg/m3	75	
Long-term, Systemic, Dermal	57,69 mg/kg	100	
Long-term, Systemic, Inhalation	10,56 mg/m3	25	
Short-term, Local, Inhalation	9,2 mg/m3	12	
Short-term, Systemic, Inhalation	9,2 mg/m3	25	
N-hydroxyethylenediamine triacetic acid trisodium salt (CAS 139-89-9)			
Long-term, Local, Inhalation	10 mg/m3		
Long-term, Systemic, Inhalation	88 mg/m3	5	
Trisodium nitrilotriacetate (CAS 5064-31-3)			
Long-term, Systemic, Inhalation	3,5 mg/m3	18	
Short-term, Systemic, Inhalation	5,25 mg/m3	12	

Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor	Notes
Citric acid (CAS 77-92-9)			
Freshwater	0,44 mg/l	1000	
Marine water	0,044 mg/l	10000	
Sediment (freshwater)	34,6 mg/kg	1	
Sediment (marine water)	3,46 mg/kg	1	
Soil	33,1 mg/kg		
STP	1000 mg/l	10	
Formic acid (CAS 64-18-6)			
Freshwater	2 mg/l	50	
Intermittent releases	1 mg/l	100	
Marine water	0,2 mg/l	500	
Sediment (freshwater)	13,4 mg/kg		
Sediment (marine water)	1,34 mg/kg		
Soil	1,5 mg/kg		
STP	7,2 mg/l	10	
Hydroxyacetic acid (CAS 79-14-1)			
Freshwater	0,0312 mg/l	1000	
Intermittent releases	0,312 mg/l	100	



P&WC

SAFETY DATA SHEET

KLEEN MCT113 (MemKare KL 2)

Marine water	0,0031 mg/l	10000
Secondary poisoning	16,66 mg/kg	90
Sediment (freshwater)	0,115 mg/kg	1
Sediment (marine water)	0,0115 mg/kg	1
Soil	0,007 mg/kg	1
STP	7 mg/l	10
N-hydroxyethylenediamine triacetic acid trisodium salt (CAS 139-89-9)		
Freshwater	2500 µg/l	10
Intermittent releases	1920 µg/l	100
Marine water	250 µg/l	100
Sediment (freshwater)	107 µg/kg	
Sediment (marine water)	10,7 µg/kg	
Soil	840 µg/kg	100
STP	50 mg/l	10
Trisodium nitrilotriacetate (CAS 5064-31-3)		
Freshwater	0,93 mg/l	10
Intermittent releases	0,915 mg/l	100
Marine water	0,093 mg/l	100
Secondary poisoning	0,2 mg/kg	300
Sediment (freshwater)	3,64 mg/kg	
Sediment (marine water)	0,364 mg/kg	
Soil	0,182 mg/kg	
STP	540 mg/l	1

8.2. Exposure controls

Appropriate engineering controls Adequate ventilation to maintain air contaminants below exposure limits.
Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Splash proof chemical goggles.
Face shield.
CEN : EN 166

Skin protection

- Hand protection Gauntlet type neoprene gloves (Protection against unintentional short-term contact)
Gauntlet type nitrile gloves (Protection against unintentional short-term contact)
Penetration time: > 480 min
Coating thickness: 0.5 mm
CEN : EN 374-1/2/3/4; EN 420

- Other Chemical resistant apron.
CEN : EN ISO 13688; EN ISO 6530; EN ISO 6529; EN 14605

Respiratory protection In case of insufficient ventilation, use a breathing mask with filter type: P2
CEN : EN 136; EN 143; EN 149

Thermal hazards Not available.

Environmental exposure controls Prevent from entering in public sewers or the immediate environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Colour Pale yellow

Physical state Liquid

Odour Mild

Odour threshold Not available.

pH (concentrated product) 2,71 Neat

pH in aqueous solution 3,05 (2% Solution)

Melting point/freezing point -9 °C

Initial boiling point and boiling range Not available.

Material name: KLEEN MCT113 (MemKare KL 2)



P&WC

SAFETY DATA SHEET

KLEEN MCT113 (MemKare KL 2)

Flash point	Not applicable
Evaporation rate	Slower than Ether
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	18 mmHg
Vapour pressure temp.	21 °C
Vapour density	< 1
Relative density	1,15
Relative density temperature	21 °C
Solubility	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not available.
Viscosity	Not applicable.
Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information	
Pour point	-6 °C
Shelf life	720 Days
VOC	0 % Estimated

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	Not applicable.
10.4. Conditions to avoid	None under normal conditions.
10.5. Incompatible materials	Strong oxidising agents. Bases.
10.6. Hazardous decomposition products	Nitrogen oxides (NOx). Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Product	Test Results
KLEEN MCT113 (MemKare KL 2) (Mixture)	Acute Dermal LD50 Rabbit: > 5000 mg/kg (Calculated according to GHS additivity formula) Acute Inhalation LC50 Rat: > 5 mg/l 4 hour (Calculated according to GHS additivity formula) Acute Oral LD50 Rat: > 5000 mg/kg (Calculated according to GHS additivity formula)
Components	Test Results
N-hydroxyethylenediamine triacetic acid trisodium salt (139-89-9)	Acute Inhalation LC50 Rat: > 10,054 mg/l 4 hour
Trisodium nitrilotriacetate (5064-31-3)	Acute Oral LD50 Rat: 1780 mg/kg Acute Dermal LD50 Rabbit: > 2000 mg/kg



P&WC

SAFETY DATA SHEET

KLEEN MCT113 (MemKare KL 2)

Components	Test Results
Formic acid (64-18-6)	Acute Inhalation LC50 Rat: > 5 mg/l 4 Hours Acute Oral LD50 Rat: 1100 mg/kg
Citric acid (77-92-9)	Acute Inhalation LC50 Rat: 15 mg/l 4 hour Acute Oral LD50 Rat: 1100 mg/kg
Hydroxyacetic acid (79-14-1)	Acute Dermal LD50 Rabbit: > 2000 mg/kg Acute Oral LD50 Rat: 5400 mg/kg Acute Inhalation LC50 Rat: 3,6 mg/l 4 hour Acute Oral LD50 Rat: 2040 mg/kg
Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Causes severe skin burns and eye damage.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Information on likely routes of exposure	
Ingestion	Causes digestive tract burns.
Inhalation	Prolonged or excessive inhalation may cause respiratory tract irritation.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Symptoms	Not available.
Aspiration hazard	Based on available data, the classification criteria are not met.
Mixture versus substance information	None known.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity

Product	Species	Test Results	
KLEEN MCT113 (MemKare KL 2) (CAS Mixture)			
Aquatic			
Crustacea	LC50	Daphnia magna	1265 mg/l, Static Renewal Bioassay, 48 H, (pH adjusted)
	NOEL	Daphnia magna	1000 mg/l, Static Renewal Bioassay, 48 H, (pH adjusted)
Fish	LC50	Fathead minnow	2634,3 mg/l, Static Renewal Bioassay, 96 H, (pH adjusted)
		Rainbow trout	3567,6 mg/l, Static Renewal Bioassay, 96 H, (pH adjusted)
	NOEL	Fathead minnow	2000 mg/l, Static Renewal Bioassay, 96 H, (pH adjusted)



P&WC

SAFETY DATA SHEET

KLEEN MCT113 (MemKare KL 2)

Product	Species	Test Results
	Rainbow trout	1500 mg/l, Static Renewal Bioassay, 96 H, (pH adjusted)

12.2. Persistence and degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative potential

Not available.

Partition coefficient

n-octanol/water (log Kow)

Citric acid	-1,64
Formic acid	-0,54
Hydroxyacetic acid	-1,11
Trisodium nitrilotriacetate	-10,1

Bioconcentration factor (BCF)

Citric acid	3
Trisodium nitrilotriacetate	3

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Contaminated packaging

According to Hazardous Waste Regulations.

EWC (European Waste Code) recommendation : 15 01 10
 15 Waste packaging; absorbents, wiping cloths, filter materials and protective clothing not otherwise specified.
 15 01 Packaging (including separately collected municipal packaging waste).
 15 01 10 Packaging containing residues of or contaminated by dangerous substances.
 Depending on the origin and state of the waste, other EWC numbers may be applicable too.

Disposal methods/information

According to Hazardous Waste Regulations.

EWC (European Waste Code) recommendation : 16 03 05
 16 Wastes not otherwise specified in the list.
 16 03 Off-specification batches and unused products.
 16 03 05 Organic wastes containing dangerous substances.
 Depending on the origin and state of the waste, other EWC numbers may be applicable too.

SECTION 14: Transport information

ADR

14.1. UN number	UN3265
14.2. UN proper shipping name	Corrosive liquid, acidic, organic, n.o.s. (Formic acid, Hydroxyacetic acid, Mixture)
14.3. Transport hazard class(es)	
Class	8
Subsidiary risk	-
Tunnel restriction code	(E)
14.4. Packing group	II
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not available.

RID

14.1. UN number	UN3265
14.2. UN proper shipping name	Corrosive liquid, acidic, organic, n.o.s. (Formic acid, Hydroxyacetic acid, Mixture)
14.3. Transport hazard class(es)	
Class	8



P&WC

SAFETY DATA SHEET

KLEEN MCT113 (MemKare KL 2)

Subsidiary risk -
14.4. Packing group II
14.5. Environmental hazards No.
14.6. Special precautions for user Not available.

ADN

14.1. UN number UN3265
14.2. UN proper shipping name Corrosive liquid, acidic, organic, n.o.s. (Formic acid, Hydroxyacetic acid, Mixture)
14.3. Transport hazard class(es)
Class 8
Subsidiary risk -
14.4. Packing group II
14.5. Environmental hazards No.
14.6. Special precautions for user Not available.

IATA

14.1. UN number UN3265
14.2. UN proper shipping name Corrosive liquid, acidic, organic, n.o.s. (Formic acid, Hydroxyacetic acid, Mixture)
14.3. Transport hazard class(es)
Class 8
Subsidiary risk -
14.4. Packing group II
14.5. Environmental hazards No.
ERG Code Not available.
14.6. Special precautions for user Not available.

IMDG

14.1. UN number UN3265
14.2. UN proper shipping name Corrosive liquid, acidic, organic, n.o.s. (Formic acid, Hydroxyacetic acid, Mixture)
14.3. Transport hazard class(es)
Class 8
Subsidiary risk -
14.4. Packing group II
14.5. Environmental hazards
Marine pollutant No.
EmS F-A, S-B
14.6. Special precautions for user Not available.
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code This substance/mixture is not intended to be transported in bulk.

ADN; ADR; IATA; IMDG; RID





P&WC

SAFETY DATA SHEET

KLEEN MCT113 (MemKare KL 2)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

National regulations

Not available.

15.2. Chemical safety assessment

Not available.

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations

COD: Chemical Oxygen Demand
IATA: International Air Transport Association
CAS: Chemical Abstract Service.
EC-No: European Commission Number
CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CEN: European Committee for Standardization (Comité Européen de Normalisation).
TWA: Time Weighted Average.



P&WC

SAFETY DATA SHEET

KLEEN MCT113 (MemKare KL 2)

Version: 1.2

Effective date: 15/09/2020

Previous Date: 11/06/2019

STEL: Short-term Exposure Limit.

LD50: Lethal Dose 50%.

LC50: Lethal Concentration 50%.

EC50: Effective Concentration 50%.

NOEL: No observed effect level.

BOD: Biochemical oxygen demand.

TOC: Total Organic Carbon.

ADR: European agreement concerning the international carriage of dangerous goods by road (Accord européen relatif transport des marchandises dangereuses par route).

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures).

IMDG Code: International Maritime Dangerous Goods Code.

RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).

Safety data sheets of raw materials.

The physical, health and environmental hazards of this mixture are assessed by applying the classification criteria for each hazard class or differentiation in Parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008 (CLP).

References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H351 Suspected of causing cancer.

Revision information

Composition / Information on Ingredients: Ingredients

SECTION 3: Composition/information on ingredients: Composition comments

SECTION 8: Exposure controls/personal protection: - Hand protection

SECTION 13: Disposal considerations: Disposal methods/information

Transport Information: Material Transportation Information

SECTION 16: Other information: Further information

Training information

Based on EC Directive / Regulations

Provide training on safe handling while considering the type of application and exposure scenarios.

(EC) No 1907/2006 (REACH)

(EC) No 1272/2008

(EU) No 1357/2014

(EU) 2015/830

Further information

Correction in Section: 2,8,16