



P&WC

## SAFETY DATA SHEET

# OPTISPERSE HP5494 (BoilGard IT 12)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name or designation of the mixture      OPTISPERSE HP5494 (BoilGard IT 12)

Version number      5.4

Revision date      19/10/2020

Supersedes date      26/02/2018

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses      Internal boiler treatment

Uses advised against      None known.

#### 1.3. Details of the supplier of the safety data sheet

JV Process and Water Chemicals LLC

Address: Street V. Kadirov 10, Chirchik city,  
Tashkent Region, Republic of Uzbekistan, 111727

Tel: +99871 209 10 40

Email address: info@pwch.uz

www.pwch.uz

#### 1.4. Emergency telephone number

Multilingual emergency number (24/7)

Street V. Kadirov 10, Chirchik city,  
Tashkent Region,  
Republic of Uzbekistan, 111727

Tel: +99871 209 10 40

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

##### Physical hazards

Corrosive to metals	Category 1	H290 - May be corrosive to metals.
---------------------	------------	------------------------------------

##### Health hazards

Skin corrosion/irritation	Category 1B	H314 - Causes severe skin burns and eye damage.
---------------------------	-------------	---

Serious eye damage/eye irritation	Category 1	H318 - Causes serious eye damage.
-----------------------------------	------------	-----------------------------------

#### 2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:      Sodium hydroxide



P&WC

# SAFETY DATA SHEET

## OPTISPERSE HP5494 (BoilGard IT 12)

### Hazard pictograms



### Signal word

Danger

### Hazard statements

H290 May be corrosive to metals.  
 H314 Causes severe skin burns and eye damage.

### Precautionary statements

#### Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTRE/doctor.  
 P390 Absorb spillage to prevent material-damage.

#### Storage

Not available.

#### Disposal

Not available.

### Supplemental label information

None.

### 2.3. Other hazards

None known.

## SECTION 3: Composition/information on ingredients

### Mixtures

#### Chemical description

Polymer/phosphate solution

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Sodium hydroxide	2 - < 5	1310-73-2 215-185-5	01-2119457892-27	011-002-00-6	
<b>Classification:</b>	Met. Corr. 1;H290, Skin Corr. 1A;H314				

The classification of the above substance(s) is given, including the hazard class, category code and hazard statements which are assigned in accordance with their physicochemical, health and environmental hazards. Please refer to section 16 where the full text of each relevant H-statement is listed.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately.

**Skin contact** Take off immediately all contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately.

**Eye contact** Rinse immediately with plenty of water for at least 15 minutes. Get medical attention immediately. Keep eyelids apart.

**Ingestion** Rinse mouth. Do not induce vomiting. Do not give anything to eat or drink. Call a physician or poison control centre immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Corrosive effects.



P&WC

# SAFETY DATA SHEET

## OPTISPERSE HP5494 (BoilGard IT 12)

4.3. Indication of any immediate medical attention and special treatment needed Not available.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** Dry chemical, CO2, water spray or regular foam. Foam or water create a slippery condition. Spread sand or grit.

**Unsuitable extinguishing media** Not available.

5.2. Special hazards arising from the substance or mixture Oxides of carbon and phosphorus evolved in fire.

#### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Self contained breathing apparatus. (CEN : EN 137)  
Protective clothing (CEN : EN 469)  
Protective gloves (CEN : EN 659)  
Helmet (CEN : EN 443)

**Special fire fighting procedures** Use standard firefighting procedures and consider the hazards of other involved materials. Prevent spillage and fire-fighting water from entering in public sewers or the immediate environment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Wear protective clothing, gloves and safety goggles.

**For emergency responders** Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions Prevent from entering sewers or the immediate environment. Accidental release of large quantities into the aquatic environment may harm aquatic organisms.

6.3. Methods and material for containment and cleaning up Spills of the product are very slippery. Absorb onto inert material and dispose of according to Hazardous Waste Regulations. Remove small spills with plenty of water. Spread sand/grit.

6.4. Reference to other sections Please refer also to section no. 8 'Exposure controls' for further information.

### SECTION 7: Handling and storage

7.1. Precautions for safe handling Alkaline. Do not mix with acidic material.

7.2. Conditions for safe storage, including any incompatibilities Store containers closed when not in use. Do not freeze. If frozen, thaw completely and mix thoroughly prior to use. Store in corrosive resistant container with a resistant inner liner.

7.3. Specific end use(s) Only for professional and industrial users

Shelf life 90 days

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	STEL	2 mg/m3

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Not available.



**P&WC**  
**SAFETY DATA SHEET**  
**OPTISPERSE HP5494 (BoilGard IT 12)**

**Derived no effect levels (DNELs)**

**Workers**

Components	Value	Assessment factor	Notes
Sodium hydroxide (CAS 1310-73-2)			
Long-term, Local, Inhalation	1 mg/m <sup>3</sup>	1	
Short-term, Local, Dermal	2 mg/kg/day		
Short-term, Local, Inhalation	2 mg/m <sup>3</sup>		

**Predicted no effect concentrations (PNECs)** Not available.

**8.2. Exposure controls**

**Appropriate engineering controls** Adequate ventilation to maintain air contaminants below exposure limits.  
 Eye wash facilities and emergency shower must be available when handling this product.

**Individual protection measures, such as personal protective equipment**

- Eye/face protection** Splash proof chemical goggles.  
 Face shield.  
 CEN : EN 166
- Skin protection**
- **Hand protection** Gauntlet type neoprene gloves (Protection against unintentional short-term contact)  
 Gauntlet type rubber gloves (Protection against unintentional short-term contact)  
 Gauntlet type butyl gloves (Protection against unintentional short-term contact)  
 Coating thickness: 0.5 mm  
 Penetration time: > 480 min  
 CEN : EN 374-1/2/3/4; EN 420
- **Other** Chemical resistant apron.  
 CEN : EN ISO 13688; EN ISO 6530; EN ISO 6529; EN 14605
- Respiratory protection** In case of insufficient ventilation, use a breathing mask with filter type: B2-P2  
 CEN : EN 140; EN 14387
- Thermal hazards** Not available.

**Environmental exposure controls** Prevent from entering in public sewers or the immediate environment.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	
Colour	Colourless to yellow
Physical state	Liquid
Odour	Slight
Odour threshold	Not available.
pH (concentrated product)	> 13
pH in aqueous solution	12,5 (5% SOL.)
Melting point/freezing point	-8 °C
Initial boiling point and boiling range	104 °C
Flash point	Not applicable.
Evaporation rate	< 1 (Ether = 1)
Flammability (solid, gas)	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	18 mm Hg
Vapour pressure temp.	21 °C



P&WC

## SAFETY DATA SHEET

### OPTISPERSE HP5494 (BoilGard IT 12)

Vapour density	< 1 (Air = 1)
Relative density	1,13
Relative density temperature	21 °C
<b>Solubility</b>	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not available.
Viscosity	5 cps
Viscosity temperature	21 °C
Explosive properties	Not available.
Oxidising properties	Not available.
<b>9.2. Other information</b>	
Pour point	-5 °C
Shelf life	90 days
VOC	0 % (Calculated)

#### SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	Not applicable.
10.4. Conditions to avoid	Protect from freezing.
10.5. Incompatible materials	Avoid contact with strong oxidisers.
10.6. Hazardous decomposition products	Oxides of carbon and phosphorus evolved in fire.

#### SECTION 11: Toxicological information

##### 11.1. Information on toxicological effects

Product	Test Results
OPTISPERSE HP5494 (BoilGard IT 12) (Mixture)	Acute Dermal LD50 Rabbit: > 5000 mg/kg (Calculated according to GHS additivity formula) Acute Inhalation LC50 Rat: > 20 mg/l 4 hour (Calculated according to GHS additivity formula) Acute Oral LD50 Rat: > 5000 mg/kg (Calculated according to GHS additivity formula)
Components	Test Results
Sodium hydroxide (1310-73-2)	Acute Dermal LD50 Rabbit: 1350 mg/kg Acute Oral LD50 Rabbit: > 500 mg/kg
<b>Acute toxicity</b>	Based on available data, the classification criteria are not met.
<b>Skin corrosion/irritation</b>	Causes severe skin burns and eye damage.
<b>Serious eye damage/irritation</b>	Causes serious eye damage.
<b>Respiratory or skin sensitisation</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.



P&WC

## SAFETY DATA SHEET

# OPTISPERSE HP5494 (BoilGard IT 12)

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

- Ingestion** Causes digestive tract burns.
- Inhalation** May cause irritation to the respiratory system.
- Skin contact** Causes severe skin burns.
- Eye contact** Causes serious eye damage.

**Symptoms** Not available.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Mixture versus substance information** None known.

**Other information** Not available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Product	Species	Test Results	
OPTISPERSE HP5494 (BoilGard IT 12) (CAS Mixture)			
<b>Aquatic</b>			
Crustacea	LC50	Daphnia magna	3880 mg/l, Acute toxicity, 48 hour, (Estimated)
	NOEL	Daphnia magna	2210 mg/l, Acute toxicity, 48 hour, (Estimated)
Fish	LC50	Fathead minnow	4650 mg/l, Acute toxicity, 96 hour, (Estimated)
	NOEL	Fathead minnow	2540 mg/l, Acute toxicity, 96 hour, (Estimated)

### 12.2. Persistence and degradability

- COD (mgO<sub>2</sub>/g) 50 (calculated data)
- TOC (mg C/g) 15 (calculated data)

**12.3. Bioaccumulative potential** Not bioaccumulating

**Partition coefficient n-octanol/water (log K<sub>ow</sub>)** Not available.

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** Not available.

**12.5. Results of PBT and vPvB assessment** Not a PBT or vPvB substance or mixture.

**12.6. Other adverse effects** Not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Contaminated packaging** According to Hazardous Waste Regulations.

EWC ( European Waste Code ) recommendation : 15 01 10  
 15 Waste packaging; absorbents, wiping cloths, filter materials and protective clothing not otherwise specified.  
 15 01 Packaging (including separately collected municipal packaging waste).  
 15 01 10 Packaging containing residues of or contaminated by dangerous substances.  
 Depending on the origin and state of the waste, other EWC numbers may be applicable too.



P&WC

# SAFETY DATA SHEET

## OPTISPERSE HP5494 (BoilGard IT 12)

Version: 5.4

Effective date: 19/10/2020

Previous Date: 26/02/2018

**Disposal methods/information** According to Hazardous Waste Regulations.

EWC ( European Waste Code ) recommendation : 16 03 05  
16 Wastes not otherwise specified in the list.  
16 03 Off-specification batches and unused products.  
16 03 05 Organic wastes containing dangerous substances.  
Depending on the origin and state of the waste, other EWC numbers may be applicable too.

### SECTION 14: Transport information

#### ADR

14.1. UN number UN3266  
14.2. UN proper shipping name Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Mixture)  
14.3. Transport hazard class(es)  
Class 8  
Subsidiary risk -  
Tunnel restriction code (E)  
14.4. Packing group II  
14.5. Environmental hazards No.  
14.6. Special precautions for user Not available.

#### RID

14.1. UN number UN3266  
14.2. UN proper shipping name Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Mixture)  
14.3. Transport hazard class(es)  
Class 8  
Subsidiary risk -  
14.4. Packing group II  
14.5. Environmental hazards No.  
14.6. Special precautions for user Not available.

#### ADN

14.1. UN number UN3266  
14.2. UN proper shipping name Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Mixture)  
14.3. Transport hazard class(es)  
Class 8  
Subsidiary risk -  
14.4. Packing group II  
14.5. Environmental hazards No.  
14.6. Special precautions for user Not available.

#### IATA

14.1. UN number UN3266  
14.2. UN proper shipping name Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Mixture)  
14.3. Transport hazard class(es)  
Class 8  
Subsidiary risk -  
14.4. Packing group II  
14.5. Environmental hazards No.  
ERG Code Not available.  
14.6. Special precautions for user Not available.

#### IMDG

14.1. UN number UN3266



P&WC

## SAFETY DATA SHEET

# OPTISPERSE HP5494 (BoilGard IT 12)

<b>14.2. UN proper shipping name</b>	Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Mixture)
<b>14.3. Transport hazard class(es)</b>	
Class	8
Subsidiary risk	-
<b>14.4. Packing group</b>	II
<b>14.5. Environmental hazards</b>	
Marine pollutant	No.
<b>EmS</b>	F-A, S-B
<b>14.6. Special precautions for user</b>	Not available.
<b>14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	This substance/mixture is not intended to be transported in bulk.

ADN; ADR; IATA; IMDG; RID



## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.





P&WC

# SAFETY DATA SHEET

## OPTISPERSE HP5494 (BoilGard IT 12)

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**

Not listed.

### Other EU regulations

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

Not listed.

### National regulations

Not available.

### 15.2. Chemical safety assessment

Not available.

### Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## SECTION 16: Other information

### List of abbreviations

EC-No: European Commission Number  
 COD: Chemical Oxygen Demand  
 IATA: International Air Transport Association  
 CAS: Chemical Abstract Service.  
 CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.  
 CEN: European Committee for Standardization (Comité Européen de Normalisation).  
 TWA: Time Weighted Average.  
 STEL: Short-term Exposure Limit.  
 LD50: Lethal Dose 50%.  
 LC50: Lethal Concentration 50%.  
 EC50: Effective Concentration 50%.  
 NOEL: No observed effect level.  
 BOD: Biochemical oxygen demand.  
 TOC: Total Organic Carbon.  
 ADR: European agreement concerning the international carriage of dangerous goods by road (Accord européen relatif transport des marchandises dangereuses par route).  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures).  
 IMDG Code: International Maritime Dangerous Goods Code.  
 RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).

### References

Safety data sheets of raw materials.

### Information on evaluation method leading to the classification of mixture

The physical, health and environmental hazards of this mixture are assessed by applying the classification criteria for each hazard class or differentiation in Parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008 (CLP).

### Full text of any H-statements not written out in full under Sections 2 to 15

H290 May be corrosive to metals.  
 H314 Causes severe skin burns and eye damage.

### Revision information

This document has undergone significant changes and should be reviewed in its entirety.

### Training information

Provide training on safe handling while considering the type of application and exposure scenarios.

### Based on EC Directive / Regulations

(EC) No 1907/2006 (REACH)  
 (EU) 2015/830  
 (EC) No 1272/2008  
 (EU) No 1357/2014



P&WC

## SAFETY DATA SHEET

# OPTISPERSE HP5494 (BoilGard IT 12)

Version: 5.4

Effective date: 19/10/2020

Previous Date: 26/02/2018

---

Further information

Correction in Section: 2,7,11,15,16