

# FOAMTROL AF2290 (FoamSolv AF 90)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or designation of the mixture	FOAMTROL AF2290 (FoamSolv AF 90)		
Version number	5.5		
Revision date	17/08/2020		
Supersedes date	08/03/2018		
1.2. Relevant identified uses of the substance or mixture and uses advised against			
Identified uses	Antifoam		
Uses advised against	None known.		
1.3. Details of the supplier of the safety data sheet			

JV Process and Water Chemicals LLC Address: Street V. Kadirov 10, Chirchik city, Tashkent Region, Republic of Uzbekistan, 111727 Tel: +99871 209 10 40 Email address: info@pwch.uz www.pwch.uz

### 1.4. Emergency telephone number

Multilingual emergency number (24/7)

Street V. Kadirov 10, Chirchik city, Tashkent Region, Republic of Uzbekistan, 111727

Tel: +99871 209 10 40

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms	None.
Signal word	None.
Hazard statements	The product does not need to be labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.



# SAFETY DATA SHEET FOAMTROL AF2290 (FoamSolv AF 90)

DisposalNot available.Supplemental label informationNone.2.3. Other hazardsNone known.

None known.

### **SECTION 3: Composition/information on ingredients**

 Mixtures

 Chemical description
 Silicon emulsion

 The components are not hazardous or are below required disclosure limits.

### **SECTION 4: First aid measures**

.1. Description of first aid measures		
Inhalation	Move to fresh air.	
Skin contact	Wash off with plenty of water.	
Eye contact	Immediately flush eye(s) with plenty of water.	
Ingestion	Rinse mouth. Do not induce vomiting.	
4.2. Most important symptoms and effects, both acute and delayed	Not available.	
4.3. Indication of any immediate medical attention	Not available.	

and special treatment needed

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media	
Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None.
5.2. Special hazards arising from the substance or mixture	Oxides of carbon evolved in fire.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self contained breathing apparatus. (CEN : EN 137) Protective clothing (CEN : EN 469) Protective gloves (CEN : EN 659) Helmet (CEN : EN 443)
Special fire fighting procedures	Use standard firefighting procedures and consider the hazards of other involved materials. Prevent spillage and fire-fighting water from entering in public sewers or the immediate environment.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures For non-emergency Protective clothing personnel For emergency responders Use personal protection recommended in Section 8 of the SDS. Prevent from entering sewers or the immediate environment. 6.2. Environmental precautions Accidental release of large quantities into the aquatic environment may harm aquatic organisms. 6.3. Methods and material for Absorb onto inert material and dispose of according to Controlled Waste Regulations. Remove small spills with plenty of water. containment and cleaning up Please refer also to section no. 8 'Exposure controls' for further information. 6.4. Reference to other sections

### **SECTION 7: Handling and storage**

7.1. Precautions for safeNormal chemical handling.handling

### P&WC SAFETY DATA SHEET FOAMTROL AF2290 (FoamSolv AF 90)

7.2. Conditions for safe storage, including any incompatibilities	Store in cool, well ventilated area. Store containers closed when not in use. Reasonable and safe chemical storage. Avoid freezing. Periodic mixing may be required to restore homogeneity.
7.3. Specific end use(s)	Only for professional and industrial users
Shelf life	270 Days

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

6

#### **Occupational exposure limits**

UK. EH40 Workplace Exposure Limits (WELs)

Components		Value	Form
SILICON DIOXIDE,SYNTHETIC,FUM ED (AMORPHOUS SILICA) (CAS 112945-52-5)	TWA	6 mg/m3	Inhalable dust.
		2,4 mg/m3	Respirable dust.
Biological limit values	No biological exposure limits noted for the	e ingredient(s).	
Recommended monitoring procedures	Not available.		
Derived no effect levels (DNELs)	Not available.		
Predicted no effect concentrations (PNECs)	Not available.		
8.2. Exposure controls			
Appropriate engineering controls	Ensure good ventilation.		
Individual protection measures,	such as personal protective equipment		
Eye/face protection	Safety goggles. CEN : EN 166		
Skin protection			
- Hand protection	Protective gloves (Plastic, impervious) (F Neoprene gloves (Protection against uni Nitrile gloves (Protection against uninten Coating thickness: 0.5 mm Penetration time: > 480 min CEN : EN 420	ntentional short-term contact	
- Other	Protective clothing if splashing or repeate CEN : EN ISO 13688	ed contact with product is lik	ely.
Respiratory protection	Not required.		
Thermal hazards	Not available.		
Environmental exposure controls	Prevent from entering in public sewers o	r the immediate environmen	t.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance	
Colour	White
Physical state	Emulsion
Odour	Slight
Odour threshold	Not available.
pH (concentrated product)	7,5 Neat
pH in aqueous solution	8 (5% Solution)



## SAFETY DATA SHEET FOAMTROL AF2290 (FoamSolv AF 90)


Melting point/freezing point	-3 °C	
Initial boiling point and boiling range	Not available.	
Flash point	Not applicable.	
Evaporation rate	Slower than Ether	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or exp	losive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Vapour pressure	18 mmHg	
Vapour pressure temp.	21 °C	
Vapour density	< 1	
Relative density	1	
Relative density temperature	21 °C	
Solubility		
Solubility (water)	0 %	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not applicable.	
Decomposition temperature	Not available.	
Viscosity	1588 mPa.s	
Viscosity temperature	21 °C	
Explosive properties	Not available.	
Oxidising properties	Not available.	
9.2. Other information		
Pour point	0°C	
Shelf life	270 Days	
VOC	0 % ASTM 3960-93	
SECTION 10: Stability and	reactivity	
10.1. Reactivity	Not available.	
10.2. Chemical stability	Material is stable under normal conditions.	
10.2 Describility of betardous	Hazardous polymorisation doos not occur. Not a	

10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur. Not applicable.
10.4. Conditions to avoid	Protect from freezing.
10.5. Incompatible materials	Avoid contact with strong oxidisers.
10.6. Hazardous decomposition products	Oxides of carbon evolved in fire.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Product	Test Results
FOAMTROL AF2290 (FoamSolv AF 90) (Mixture)	Acute Dermal LD50 Rabbit: > 5000 mg/kg (Calculated according to GHS additivity formula)
	Acute Inhalation LC50 Rat: > 20 mg/l 4 hours (Calculated according to GHS additivity formula)
	Acute Oral LD50 Rat: > 5000 mg/kg (Calculated according to GHS additivity formula)



# FOAMTROL AF2290 (FoamSolv AF 90)

Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	May be irritating to eyes.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Information on likely routes of e	xposure
Ingestion	May cause irritation of the gastrointestinal tract.
Inhalation	Prolonged or excessive inhalation may cause respiratory tract irritation.
Skin contact	May be irritating to the skin.
Eye contact	May be irritating to eyes.
Symptoms	Not available.
Aspiration hazard	Based on available data, the classification criteria are not met.
Mixture versus substance information	None known.
Other information	Not available.

### **SECTION 12: Ecological information**

12.1. Toxicity

Product		Species	Test Results
FOAMTROL AF2290 (Foam	Solv AF 90) (CAS Mix	ture)	
Aquatic			
Crustacea	0% Mortality	Daphnia magna	1000 mg/l, Static Screen, 48 hour
	10% Mortality	Daphnia magna	5000 mg/l, Static Screen, 48 hour
	IC25	Ceriodaphnia	18,5 mg/l, Chronic Bioassay, 7 day
	LC50	Ceriodaphnia	331 mg/l, Static Renewal Bioassay, 48 hour
	NOEL	Ceriodaphnia	156 mg/l, Static Renewal Bioassay, 48 hour
			12,5 mg/l, Chronic Bioassay, 7 day
	0% Mortality	Fathead minnow	5000 mg/l, Static Bioassay with 48-Hour Renewal, 96 hour
		Rainbow trout	1000 mg/l, Static Screen, 48 hour
	100% Mortality	Rainbow trout	5000 mg/l, Static Screen, 48 hour
12.2. Persistence and degr	adability		
	Readily biode	gradable.	
- COD (mgO2/g)	219		
- BOD 5 (mgO2/g)	0		

- BC	D 28 (mgO2/g)	
	osed Bottle Test (% adation in 28 days)	

0 0

### P&WC SAFETY DATA SHEET FOAMTROL AF2290 (FoamSolv AF 90)

- Zahn-Wellens Test (% Degradation in 28 days)	0
- TOC (mg C/g)	41
12.3. Bioaccumulative potential	Not available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	Si : 0,924 mg/g

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Contaminated packaging	According to Controlled Waste Regulations.
Disposal methods/information	<ul> <li>EWC (European Waste Code) recommendation : 15 01 02</li> <li>15 Waste packaging; absorbents, wiping cloths, filter materials and protective clothing not otherwise specified.</li> <li>15 01 Packaging (including separately collected municipal packaging waste).</li> <li>15 01 02 Plastic packaging.</li> <li>Depending on the origin and state of the waste, other EWC numbers may be applicable too.</li> <li>According to Controlled Waste Regulations.</li> <li>EWC (European Waste Code) recommendation : 16 03 06</li> <li>16 Wastes not otherwise specified in the list.</li> <li>16 03 Off-specification batches and unused products.</li> <li>16 03 06 Organic wastes</li> <li>Depending on the origin and state of the waste, other EWC numbers may be applicable too.</li> </ul>

### **SECTION 14: Transport information**

### ADR

Not regulated as dangerous goods.

### RID

Not regulated as dangerous goods.

### ADN

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

P&WC

\_

### SAFETY DATA SHEET FOAMTROL AF2290 (FoamSolv AF 90)

• • • •	I2 concerning the export and import of dangerous chemicals, An	nex V as amended
Not listed.	C Annay II Pallytant Palaasa and Transfer Paristry, as amonded	
• • •	06 Annex II Pollutant Release and Transfer Registry, as amended	
Not listed. Regulation (EC) No. 1907/20	006, REACH Article 59(10) Candidate List as currently published I	
Not listed.		
Authorisations		
Regulation (EC) No. 1907/20	006, REACH Annex XIV Substances subject to authorization, as a	mended
Not listed.	····, ···· ··· ··· ··· ··· ··· ·· ··· ·	
Restrictions on use		
Regulation (EC) No. 1907/20	006, REACH Annex XVII Substances subject to restriction on mar	keting and use as amended
Not listed.		
	e protection of workers from the risks related to exposure to carc	inogens and mutagens at
work, as amended.		
Not listed.		
Other EU regulations		
	jor accident hazards involving dangerous substances, as amend	ed
Not listed.		
National regulations	Not available.	
15.2. Chemical safety	Not available.	
assessment		
NSF Registered and/or meets	Registration No. – 147598	
USDA (according to 1998 guidelines):	Category Code(s): G5 Cooling and retort water treatment products	
guidennes).	G7 Boiler, steam line treatment products – nonfood contact	
Inventory status		
Country(s) or region	Inventory name	On inventory (yes/no) <sup>;</sup>
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
	nents of this product comply with the inventory requirements administered by the components of the product are not listed or exempt from listing on the inventor	
<b>SECTION 16: Other inform</b>	nation	
List of abbroviations		

### List of abbreviations

COD: Chemical Oxygen Demand IATA: International Air Transport Association IMDG Code: International Maritime Dangerous Goods Code. CAS: Chemical Abstract Service. EC-No: European Commission Number CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures. CEN: European Committee for Standardization (Comité Européen de Normalisation). TWA: Time Weighted Average. STEL: Short-term Exposure Limit. LD50: Lethal Dose 50%. LC50: Lethal Concentration 50%. NOEL: No observed effect level. BOD: Biochemical oxygen demand. TOC: Total Organic Carbon. ADP: European agreement concerning the international carriage of dangerous goods by road.
ADR: European agreement concerning the international carriage of dangerous goods by road (Accord européen relatif transport des merchandises dangereuses par route).

### P&WC SAFETY DATA SHEET FOAMTROL AF2290 (FoamSolv AF 90)

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures).

RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer). Safety data sheets of raw materials.

The physical, health and environmental hazards of this mixture are assessed by applying the classification criteria for each hazard class or differentiation in Parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008 (CLP).

None.

This document has undergone significant changes and should be reviewed in its entirety.

Provide training on safe handling while considering the type of application and exposure scenarios.

(EC) No 1907/2006 (REACH) (EC) No 1272/2008 (EU) No 1357/2014 (EU) 2015/830 Correction in Section: 1,8,11,12

References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15

**Revision information** 

Training information

Based on EC Directive / Regulations

**Further information**