

Effective date: 28/05/2023 Previous Date: 03/01/2022

SAFETY DATA SHEET

Petroflo 23Y957 (PetroKare PK 57 AF)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Petroflo 23Y957 (PetroKare PK 57 AF)

of the mixture

Issue date 14/07/2008

Version number 4.7

 Revision date
 28/05/2023

 Supersedes date
 03/01/2022

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesAntifoamUses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

JV Process and Water Chemicals LLC Address: Street V. Kadirov 10, Chirchik city, Tashkent Region, Republic of Uzbekistan, 111727

Tel: +99871 209 10 40

Email address: info@pwch.uz

www.pwch.uz

1.4. Emergency telephone number

Multilingual emergency number (24/7)

Street V. Kadirov 10, Chirchik city, Tashkent Region,

Republic of Uzbekistan, 111727

Tel: +99871 209 10 40

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Not available.



Effective date: 28/05/2023 Previous Date: 03/01/2022

SAFETY DATA SHEET

Petroflo 23Y957 (PetroKare PK 57 AF)

ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label information None.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

Mixtures

Chemical description Polymer solution

The components are not hazardous or are below required disclosure limits.

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. #: This substance has been assigned Union workplace exposure limit(s).

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Get medical attention if symptoms occur.

4.2. Most important symptoms

and effects, both acute and

delayed

media

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of anyTreat symptomatically.

immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising

from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting Move containers from fire area if you can do so without risk.

procedures Prevent spillage and fire-fighting water from entering in public sewers or the immediate

environment.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

Material name: Petroflo 23Y957 (PetroKare PK 57 AF)

Page: 2 / 8



Effective date: 28/05/2023 Previous Date: 03/01/2022

SAFETY DATA SHEET

Petroflo 23Y957 (PetroKare PK 57 AF)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

personner

For emergency responders Keep unnecessary personnel away.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Storage temperature: between -10°C and 60°C. Store away from

incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Only for industrial users

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Follow standard monitoring procedures.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

8.2. Exposure controls

Not available.

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

CEN: EN 166

Skin protection

- Hand protection Suitable gloves can be recommended by the glove supplier.

Neoprene gloves (Protection against unintentional short-term contact)

Coating thickness: 0.5 mm Penetration time: > 480 min

CEN: EN 420

Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

CEN: EN ISO 13688

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Material name: Petroflo 23Y957 (PetroKare PK 57 AF)

Page: 3 / 8



Version: 4.7 Effective date: 28/05/2023

Previous Date: 03/01/2022

SAFETY DATA SHEET

Petroflo 23Y957 (PetroKare PK 57 AF)

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid
Physical state Liquid.
Form Liquid.

Colour Colourless to light yellow

Odour Mild

Odour threshold

pH (concentrated product)

Not available.

Melting point/freezing point

-29 °C

Initial boiling point and boiling

range

Not available.

Flash point 235 °C Open cup
Evaporation rate Slower than Ether
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper Not available.

(%)

Vapour pressure< 1 mmHg</th>Vapour pressure temp.21 °CVapour density> 1Relative density1,01Relative density temperature21 °C

Solubility(ies)

Solubility (water) 1 %

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity325 mPa.sViscosity temperature21 °C

Explosive propertiesNot explosive. **Oxidising properties**Not oxidising.

9.2. Other information

pH in aqueous solution 5,5 (5% Solution)

Pour point -26 °C
Shelf life 720 Days
VOC 0 % Estimated



Version: 47

Effective date: 28/05/2023 Previous Date: 03/01/2022

SAFETY DATA SHEET

Petroflo 23Y957 (PetroKare PK 57 AF)

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Exposure to moisture. 10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Carbon oxides.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. Direct contact with eyes may cause temporary irritation. Eye contact

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity

Product Test Results Species Petroflo 23Y957 (PetroKare PK 57 AF)

Acute Dermal

LD50 Rabbit > 5000 mg/kg (Calculated according to

GHS additivity formula)

Oral

LD50 Rat > 5000 mg/kg (Calculated according to

GHS additivity formula)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Based on available data, the classification criteria are not met. Respiratory sensitisation

Skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Carcinogenicity Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard**

Mixture versus substance

information

No information available.

SECTION 12: Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the 12.1. Toxicity

possibility that large or frequent spills can have a harmful or damaging effect on the environment.



Effective date: 28/05/2023 Previous Date: 03/01/2022

SAFETY DATA SHEET

Petroflo 23Y957 (PetroKare PK 57 AF)

Product		Species	Test Results	
Aquatic				
Crustacea	LC50	Daphnia magna	880 mg/l, 48 hour	
	NOEL	Daphnia magna	312 mg/l, 48 hour	
Fish	LC50	Fathead minnow	695 mg/l, 96 hour	

12.2. Persistence and degradability

Testing has shown product to be readily biodegradable.

- CO2 evolution (modified

> 60 % degradation in 28 days (OECD 301B)

Sturm test)

12.3. Bioaccumulative potential

Partition coefficient Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. Not available.

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations.

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

According to Controlled Waste Regulations.

European List of Wastes (LoW) code recommendation: 15 01 02, 15 01 04

15 Waste packaging; absorbents, wiping cloths, filter materials and protective clothing not

otherwise specified.

15 01 Packaging (including separately collected municipal packaging waste).

15 01 02 Plastic packaging. 15 01 04 Metallic packaging.

Depending on the origin and state of the waste, other codes may be applicable too.

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

According to Controlled Waste Regulations.

European List of Wastes (LoW) code recommendation: 16 03 06

16 Wastes not otherwise specified in the list.

16 03 Off-specification batches and unused products.

16 03 06 Organic wastes

Depending on the origin and state of the waste, other codes may be applicable too.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

Material name: Petroflo 23Y957 (PetroKare PK 57 AF)



Effective date: 28/05/2023 Previous Date: 03/01/2022

SAFETY DATA SHEET Petroflo 23Y957 (PetroKare PK 57 AF)

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Other regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

Inventory status

Country(s) or regionInventory nameOn inventory (yes/no)*EuropeEuropean Inventory of Existing Commercial ChemicalYes

Substances (EINECS)

European List of Notified Chemical Substances (ELINCS)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

Material name: Petroflo 23Y957 (PetroKare PK 57 AF)

Nο



Effective date: 28/05/2023 Previous Date: 03/01/2022

SAFETY DATA SHEET

Petroflo 23Y957 (PetroKare PK 57 AF)

CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.

EC50: Effective Concentration 50%.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

LC50: Lethal Concentration 50%.

LD50: Lethal Dose 50%.

MARPOL: International Convention for the Prevention of Pollution from Ships.

NOEL: No observed effect level.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TOC: Total Organic Carbon. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

COD: Chemical Oxygen Demand EC-No: European Commission Number BOD: Biochemical oxygen demand. Safety data sheets of raw materials.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

None.

under sections 2 to 15
Revision information

This document has undergone significant changes and should be reviewed in its entirety.

Training information

Follow training instructions when handling this material.

Disclaimer

References

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Based on EC Directive / Regulations

(EC) No 1907/2006 (REACH)

(EC) No 1272/2008 (EU) No 1357/2014

Further information Correction in Section: 2,3,4,5,6,7,8,9,10,11,12,13,15,16