Effective date: 20/03/2023 Previous Date: 10/03/2020

SAFETY DATA SHEET

SPEC-AID 8Q5201 (FuelAid 5220)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

SPEC-AID 8Q5201 (FuelAid 5220)

of the mixture

Revision date 20/03/2023

Version number 1.0

Supersedes date 10/03/2020

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cold flow improver Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

JV Process and Water Chemicals LLC Address: Street V. Kadirov 10, Chirchik city, Tashkent Region, Republic of Uzbekistan, 111727

Tel: +99871 209 10 40 Email address: info@pwch.uz

www.pwch.uz

1.4. Emergency telephone number

Multilingual emergency number (24/7)

Street V. Kadirov 10, Chirchik city, Tashkent Region, Republic of Uzbekistan, 111727

Tel: +99871 209 10 40

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This product needs not to be classified with Hazard statement 304 as its kinetic viscosity is greater than 20,5 mm² /s

Health hazards

exposure

Carcinogenicity Category 2 H351 - Suspected of causing

cancer.

Specific target organ toxicity - single Category 3 narcotic effects H336 - May cause drowsiness or

dizziness.

Environmental hazards

Hazardous to the aquatic environment, Category 2 H411 - Toxic to aquatic life with long-term aquatic hazard

long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Hydrocarbons, C10, aromatics, >1% naphthalene, Naphthalene

Hazard pictograms





Effective date: 20/03/2023 Previous Date: 10/03/2020

SAFETY DATA SHEET SPEC-AID 8Q5201 (FuelAid 5220)

Signal word	Warning	
Hazard statements		
H336	May cause drowsiness or dizziness.	
H351	Suspected of causing cancer.	
H411	Toxic to aquatic life with long lasting effects.	
Propositionary statements		

Precautionary statements

Prevention

P261 Avoid breathing mist/vapor.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTRE/doctor if you feel unwell.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal Not available.

Supplemental label information EUH066 - Repeated exposure may cause skin dryness or cracking.

Polymer in aromatic solvent

2.3. Other hazardsNone known.

SECTION 3: Composition/information on ingredients

Mixtures

Chemical description

 Chemical name
 %
 CAS-No. / EC No.
 REACH Registration No.
 Index No.
 Notes

 Naphthalene
 5 - < 10</td>
 91-20-3 - 601-052-00-2
 #

 Classification:
 Acute Tox. 4;H302, Carc. 2;H351, Aquatic Acute 1;H400, Aquatic Chronic 1;H410

Vinyl neodecanoate < 1 51000-52-3 - - 256-905-8

Classification: Aquatic Acute 1;H400, Aquatic Chronic 1;H410

UVCB substance(s)

Chemical name % CAS-No. / EC No. REACH Registration No. Index No. Notes

Hydrocarbons, C10, aromatics, >1% 40 - 60 N/A 01-2119463588-24

naphthalene 919-284-0

Classification: Asp. Tox. 1;H304, STOT SE 3;H336, Carc. 2;H351, Aquatic Chronic 2;H411

The classification of the above substance(s) is given, including the hazard class, category code and hazard statements which are assigned in accordance with their physicochemical, health and environmental hazards. Please refer to section 16 where the full text of each relevant H-statement is listed.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison centre or doctor/physician if you feel unwell.

Skin contact Take off immediately all contaminated clothing.

Wash off immediately with plenty of water for at least 15 minutes.

Get medical attention if irritation develops and persists.



Effective date: 20/03/2023 Previous Date: 10/03/2020

SAFETY DATA SHEET SPEC-AID 8Q5201 (FuelAid 5220)

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes.

Get medical attention if irritation develops and persists.

Ingestion Rinse mouth.

Do not induce vomiting.

Do not give anything to eat or drink.

Call a physician or poison control centre immediately.

4.2. Most important symptoms and effects, both acute and

delayed

Vapours have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Not available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective

Self contained breathing apparatus. (CEN: EN 137)

equipment for firefighters Protective clothing (CEN : EN 469)

Protective gloves (CEN : EN 659) Helmet (CEN : EN 443)

Special fire fighting

procedures

Use standard firefighting procedures and consider the hazards of other involved materials. Prevent spillage and fire-fighting water from entering in public sewers or the immediate

environment

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear protective clothing, gloves and safety goggles.

For emergency responders

Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent from entering sewers or the immediate environment.

Do not empty into drains, dispose of this material and its container to hazardous or special waste

collection point.

6.3. Methods and material for containment and cleaning up

Absorb onto inert material and dispose of according to Hazardous Waste Regulations.

After cleaning, flush away traces with water.

6.4. Reference to other

sections

Please refer also to section no. 8 'Exposure controls' for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Obtain special instructions before use.

7.2. Conditions for safe storage, including any

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

incompatibilities

·

7.3. Specific end use(s)Shelf life720 days

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



Effective date: 20/03/2023 Previous Date: 10/03/2020

SAFETY DATA SHEET **SPEC-AID 8Q5201 (FuelAid 5220)**

Occupational exposure limits

UAE. OELs. Maximum Allowable Limits for Air Pollutants in Working Areas [Law to Protect the Air from Pollution,

Resolution of the Cabinet of Ministers No. 12 of 2006]

Components **Type** Naphthalene (CAS 91-20-3) STEL 79 mg/m3 15 ppm **TWA** 52 mg/m3 10 ppm

US. ACGIH Threshold Limit Values

Value Components **Type** Naphthalene (CAS 91-20-3) **TWA** 10 ppm

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU

Components **Type** Value Naphthalene (CAS 91-20-3) TWA 50 mg/m3

10 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s). Not available.

Recommended monitoring

procedures

Derived no effect levels (DNELs)

Workers

UVCB substance(s) Value Assessment factor Notes

Hydrocarbons, C10, aromatics, >1% naphthalene (CAS N/A) Long-term, Systemic, Dermal 12,5 mg/kg/day Long-term, Systemic, Inhalation 151 mg/m3

Predicted no effect

concentrations (PNECs) **Exposure guidelines**

Not available.

Belgium OELs: Skin designation

Naphthalene (CAS 91-20-3)

Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering Adequate ventilation to maintain air contaminants below exposure limits.

Explosion proof exhaust ventilation should be used. controls

Individual protection measures, such as personal protective equipment Safety goggles. Eye/face protection

CEN: EN 166

Skin protection

Nitrile gloves (Protection against unintentional short-term contact) - Hand protection

Neoprene gloves (Protection against unintentional short-term contact) PVC gloves (Protection against unintentional short-term contact)

Coating thickness: 0.7 mm Penetration time: > 480 min CEN: EN 374-1/2/3/4: EN 420

- Other Wear appropriate chemical resistant clothing.

> Use of impervious boots is recommended. CEN: EN ISO 13688; EN ISO 6529; EN 14605

Respiratory protection In case of insufficient ventilation, use a breathing mask with filter type: A2-P2

CEN: EN 136; EN 14387

Thermal hazards Not available.

Environmental exposure

Prevent from entering in public sewers or the immediate environment.

Do not empty into drains, dispose of this material and its container to hazardous or special waste controls

collection point.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



Effective date: 20/03/2023 Previous Date: 10/03/2020

SAFETY DATA SHEET SPEC-AID 8Q5201 (FuelAid 5220)

Appearance

ColourYellowPhysical stateLiquid

Odour Hydrocarbon
Odour threshold Not available.
pH (concentrated product) Not available.
pH in aqueous solution 7,6 (5% extract)

Melting point/freezing point -2 °C Initial boiling point and boiling 177 °C

range

Flash point 63 °C P-M(CC)

Evaporation rate <1 (Ether = 1)

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Vapour pressure < 5 mm Hg
Vapour pressure temp. 21 °C
Vapour density > 1 (Air = 1)

Relative density 0,92
Relative density temperature 21 °C

Solubility

Solubility (water) < 0,1 %

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not applicable.

Decomposition temperature Not available.

 $\begin{array}{lll} \textbf{Viscosity} & 57 \text{ cps} \\ \textbf{Viscosity temperature} & 21 \, ^{\circ}\text{C} \end{array}$

Explosive properties Not available. **Oxidising properties** Not available.

9.2. Other information

Pour point 1 °C Shelf life 720 days

VOC 59 % (Calculated)

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

Not applicable.

10.4. Conditions to avoid None under normal conditions.10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Carbon oxides.

decomposition products

SECTION 11: Toxicological information

11.1. Information on toxicological effects



Effective date: 20/03/2023 Previous Date: 10/03/2020

SAFETY DATA SHEET SPEC-AID 8Q5201 (FuelAid 5220)

Product	Test Results
SPEC-AID 8Q5201 (FuelAid 5220) (Mixture)	Acute Dermal LD50 Rabbit: > 2000 mg/kg (Calculated according to GHS additivity formula)
	Acute Oral LD50 Rat: > 2000 mg/kg (Calculated according to GHS additivity formula)
Components	Test Results
Naphthalene (91-20-3)	Acute Dermal LD50 Rabbit: > 16000 mg/kg
	Acute Oral LD50 Rat: > 2000 mg/kg
UVCB substance(s)	Test Results
Hydrocarbons, C10, aromatics, >1% naphthalene (N/A)	Acute Dermal LD50 Rabbit: > 2000 mg/kg
	Acute Inhalation LC50 Rat: > 4688 mg/m3 (Saturated vapor concentration)
	Acute Oral LD50 Rat: > 2000 mg/kg

Acute toxicityBased on available data, the classification criteria are not met. **Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Serious eye damage/irritation

May be irritating to eyes.

Respiratory or skin

sensitisation

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity - Nar

single exposure

Narcotic effects.

May cause drowsiness or dizziness.

Carcinogenicity May cause cancer.

Germ cell mutagenicityBased on available data, the classification criteria are not met. **Reproductive toxicity**Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Ingestion May cause irritation of the gastrointestinal tract.

Inhalation Vapours have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Prolonged or excessive inhalation may cause respiratory tract irritation.

Skin contact Repeated exposure may cause skin dryness or cracking.

May be irritating to the skin.

Eye contact May be irritating to eyes.

Symptoms Not available.

Aspiration hazard Based on available data, the classification criteria are not met.

Mixture versus substance

information

None known.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity No data available

12.2. Persistence and degradabilityNo data is available on the degradability of this product.

12.3. Bioaccumulative potential Not available.

Partition coefficient n-octanol/water (log Kow)

Naphthalene 3,3

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not available.

Material name: SPEC-AID 8Q5201 (FuelAid 5220)

Page: 6 / 10



Effective date: 20/03/2023 Previous Date: 10/03/2020

SAFETY DATA SHEET SPEC-AID 8Q5201 (FuelAid 5220)

12.5. Results of PBT and vPvB

Not a PBT or vPvB substance or mixture.

assessment

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Contaminated packaging According to Hazardous Waste Regulations.

EWC (European Waste Code) recommendation: 15 01 10

15 Waste packaging; absorbents, wiping cloths, filter materials and protective clothing not

otherwise specified.

15 01 Packaging (including separately collected municipal packaging waste).

15 01 10 Packaging containing residues of or contaminated by dangerous substances. Depending on the origin and state of the waste, other EWC numbers may be applicable too.

Disposal methods/information According to Hazardous Waste Regulations.

EWC (European Waste Code) recommendation: 16 03 05

16 Wastes not otherwise specified in the list.

16 03 Off-specification batches and unused products. 16 03 05 Organic wastes containing dangerous substances.

Depending on the origin and state of the waste, other EWC numbers may be applicable too.

SECTION 14: Transport information

ADR

14.1. UN number UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hydrocarbons, C10,

name aromatics, >1% naphthalene, Mixture)

14.3. Transport hazard class(es)

Class 9
Subsidiary risk Tunnel restriction code (-)
14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions Not available.

for user

RID

14.1. UN number UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hydrocarbons, C10,

name aromatics, >1% naphthalene, Mixture)

14.3. Transport hazard class(es)

Class 9
Subsidiary risk 14.4. Packing group III
14.5. Environmental hazards Yes

14.6. Special precautions Not available.

for user

ADN

14.1. UN number UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hydrocarbons, C10,

name aromatics, >1% naphthalene, Mixture)

14.3. Transport hazard class(es)

Class 9
Subsidiary risk
14.4. Packing group III

14.5. Environmental hazards Yes

14.6. Special precautions Not available.

for user

IATA

14.1. UN number UN3082



Effective date: 20/03/2023 Previous Date: 10/03/2020

SAFETY DATA SHEET SPEC-AID 8Q5201 (FuelAid 5220)

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hydrocarbons, C10,

name aromatics, >1% naphthalene, Mixture)

14.3. Transport hazard class(es)

Class 9
Subsidiary risk
14.4. Packing group III

14.5. Environmental hazards Yes

ERG Code Not available.

14.6. Special precautions Not available.

for user

IMDG

14.1. UN number UN3082

14.2. UN proper shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hydrocarbons, C10,

name aromatics, >1% naphthalene, Mixture)

14.3. Transport hazard class(es)

Class 9
Subsidiary risk 14.4. Packing group III
14.5. Environmental hazards
Marine pollutant Ye

Marine pollutant Yes
EmS F-A, S-F

14.6. Special precautions Not available.

for user

14.7. Transport in bulk This substance/mixture is not intended to be transported in bulk.

according to Annex II of MARPOL and the IBC Code

ADN; ADR; IATA; IMDG; RID



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.



Effective date: 20/03/2023 Previous Date: 10/03/2020

SAFETY DATA SHEET SPEC-AID 8Q5201 (FuelAid 5220)

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Naphthalene (CAS 91-20-3)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Naphthalene (CAS 91-20-3)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Naphthalene (CAS 91-20-3)

National regulations Not available.

15.2. Chemical safety Not available.

assessment

Inventory status

Country(s) or region Inventory name On inventory (yes/no)*

Europe European Inventory of Existing Commercial Chemical Yes

Substances (EINECS)

Europe European List of Notified Chemical Substances (ELINCS)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations

CAS: Chemical Abstract Service.

EC-No: European Commission Number

CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.

CEN: European Committee for Standardization (Comité Européen de Normalisation).

TWA: Time Weighted Average. STEL: Short-term Exposure Limit.

LD50: Lethal Dose 50%.

LC50: Lethal Concentration 50%. EC50: Effective Concentration 50%. NOEL: No observed effect level. COD: Chemical Oxygen Demand BOD: Biochemical oxygen demand.

TOC: Total Organic Carbon.

ADR: European agreement concerning the international carriage of dangerous goods by road (Accord européen relatif transport des merchandises dangereuses par route).

Material name: SPEC-AID 8Q5201 (FuelAid 5220)

Page: 9 / 10



Effective date: 20/03/2023 Previous Date: 10/03/2020

SAFETY DATA SHEET **SPEC-AID 8Q5201 (FuelAid 5220)**

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses

par voies de navigation intérieures).

IATA: International Air Transport Association

IMDG Code: International Maritime Dangerous Goods Code.

RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement

International concernant le transport de marchandises dangereuses par chemin de fer).

References Safety data sheets of raw materials.

Information on evaluation method leading to the

Sections 2 to 15

classification of mixture Full text of any H-statements not written out in full under

The physical, health and environmental hazards of this mixture are assessed by applying the classification criteria for each hazard class or differentiation in Parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008 (CLP).

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Product and Company Identification: Product and Company Identification **Revision information**

Composition / Information on Ingredients: Ingredients

Provide training on safe handling while considering the type of application and exposure scenarios. **Training information** Based on EC Directive / (EC) No 1907/2006 (REACH)

Regulations

(EC) No 1272/2008 (EU) No 1357/2014

(EU) 2015/830

Further information Initial issue

Material name: SPEC-AID 8Q5201 (FuelAid 5220)

Page: 10 / 10